





**THE DOOR OF BEAUTY AND INNOVATION**





Old world craftsmanship meets new world technology to make Plastpro Fiberglass Entry Doors the most advanced products available on the market today. Since 1994, Plastpro has been a market leader gained through the development of our exclusive Hydroshield Technology™. With the introduction of a full line of PF™ Door Frames and Accessories, Plastpro is dedicated to provide the best products on the market today.

## HISTORY

Since 1954, the world-renowned Formosa Plastics Group and one of its leading companies, Nan Ya Plastics Corporation, have offered customers top quality products at the greatest value. While other manufacturers outsource products and components, Plastpro can boast total vertical integration, ensuring everything we do meets our rigorous standards. Our commitment to quality is backed by extensive research and technological developments that ensure consistent innovative products.

## INNOVATIVE RESEARCH & DEVELOPMENT

Vertical integration means that we can focus on improving each individual door component. By maintaining control over each stage of development, from raw materials to finished product, Plastpro has the power and flexibility to innovate every aspect of our manufacturing and products. Plastpro's breakthrough products, offer the widest possible choice of designs, colors, and sizes. Over the past 10 years, Plastpro has introduced HydroShield Technology™, BTHP™ Snap-On Frames, and our versatile line of composite PF™ Door Frames.

## ISO 9002 & ISO 14000 DESIGNATION

Plastpro products have achieved world recognition through ISO 9001 and ISO 14000 designations for strict adherence to leading international quality standards.

## TAKING ACTIVE STEPS TO PROTECT THE ENVIRONMENT

As part of our ongoing commitment to responsible environmental practices, we are proud to be Partners in the U.S. Government's Energy Star Program. As an Energy Star Partner, our products have been shown to meet regional standards for energy efficiency and conservation. Research shows that engineered lumber uses smaller pieces of fast-growing wood to obtain the same sizes as lumber from old-growth forests, but with more durability and strength. As a Built Green member, Plastpro products make a difference for the environment while being a cost effective alternative for our customers.

## BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards, supported by our simple promise of quality. We stand behind our products. We guarantee the best quality to meet your performance expectation.

# TABLE OF CONTENTS

- 5 TECHNOLOGY
- 6-7 PLASTPRO'S QUALITY
- 8-9 ARRIVING PRODUCTS
- 10-13 PF™ DOOR FRAMES
- 14-15 CHOOSING YOUR DOOR
- 16-17 DOORABILITY
- 18-23 DOOR SKIN OVERVIEW
- 24-37 GLASS OVERVIEW
- 38-41   Modern
- 42-45   Cherry
- 46-57   Rustic
- 58-71   Mahogany
- 72-77   Fir
- 78-123   Oak
- 124-177   Smooth
- 178-215   True White Oak
- 216-221   Onelite
- 222-225   Light Commercial
- 226-229   Trimmable
- 230-239   Fire Rated
- 240-247   HVHZ Impact
- 248-251 PRE-FINISH KIT & STAIN / PAINT GUIDES
- 252-253 LEED CONTRIBUTIONS
- 254-268 PRODUCT INDEX
- 269-270 NOTES



**CAMELIA**  
40, 45, 50-51, 62-63, 82-83, 128-129, 182-183



**PRISCILLA**  
40, 45, 52-53, 62-63, 84-85, 130-131, 184-185



**CHIANTI**  
40, 45, 54-55, 62-63, 86-87, 132-133, 186-187



**ABERDEEN**  
40, 45, 62-63, 88-89, 134-135, 188-189, 218-219



**ARTESANO**  
40, 45, 64-65, 75, 90-91, 136-139, 190-191



**ARTESANO BREEZE**  
40, 45, 64-65, 75, 92-93, 140-143, 192-193



**BRENTWOOD**  
40, 45, 64-65, 94-97, 144-147, 194-195



**CASTILE**  
40, 45, 64-65, 98-101, 148-151, 196-197



**CHARLOTTE**  
40, 45, 66-67, 102-105, 152-155, 198-199



**ELIZABETH**  
40, 45, 66-67, 106-107, 156-157, 200-201



**KENSINGTON**  
40, 45, 66-67, 75, 108-109, 158-159, 201-203



**OXFORD**  
40, 45, 66-67, 110-111, 160-161, 204-205



**RIVERTON**  
40, 45, 68-69, 112-113, 162-163, 206-207



**SOLSTICE**  
40, 45, 68-69, 75, 114-115, 164-165, 208-209



**SPRING**  
40, 45, 68-69, 75, 116-117, 166-169, 210, 210-211



**TABITHA**  
40, 45, 68-69, 118-119, 170-171, 212-213



**MINIBLINDS**  
40, 45, 70-71, 120-121, 172-173, 214-215, 218-219



# plastpro



 **HydroShield™**  
technology



Plastpro's 200,000 square-foot, fully automated manufacturing facility in Ashtabula, Ohio is the most advanced in the door industry. Plastpro's innovative manufacturing methods include our fully integrated, computer-controlled system that enables greater product consistency and enhanced employee safety. Having one of the most highly skilled and experienced manufacturing workforces in the nation with expertise in the molding and assembly technologies, we have up to 400 percent greater productivity than traditional manufacturing operations. By carefully controlling every phase of manufacturing, Plastpro can ensure the integrity and quality of every product.

# PLASTPRO'S QUALITY

## FIBERGLASS REINFORCED DOOR SKINS

Our high-impact compression molded skins will not splinter, dent, warp, rot or rust. Surfaces are easy to stain, paint and easy to clean.

## FULL LENGTH COMPOSITE STILES

Our full-length composite stiles provide complete waterproofing for the door's insulation and have twice the screw-holding power of traditional wood-edged doors. Our doors will never splinter like wood or de-laminate like steel.

## COMPOSITE TOP & BOTTOM RAILS

High strength composite top and bottom rails prevent moisture from seeping into the door. Bottom rails accommodate a range of door sweeps.

## PATENTED HYDROSHIELD™ TECHNOLOGY

Our exclusive water-resistant seal protects our doors against water infiltration on all six sides to prevent warping, delamination, corrosion, rotting, and the build up of mold and mildew.

## BTHP™ SNAP ON DOORLITE FRAMES

Our exclusive BTHP™ Snap-on Frames employ a series of specially designed clips that lock decorative glass firmly in place. Our BTHP™ Frames have no unsightly plugs or screws, and create a cleaner, more natural appearance in any entryway.


## EXTENDED LOCKBLOCK

Our extended lockblock allows a range of door locks and hardware to be installed into our doors.


## ENVIRONMENTALLY SOUND FOAM CORE

While some other fiberglass door manufacturers still use HCFC-free foam, we are proud to offer a door that is completely, CFC-free, in compliance with the United States environmental standards to prevent destruction to the Earth's ozone layer. Our advanced polyurethane core enhances the door's soundproofing capabilities and provides insulation six times greater than wood doors.


### DOORS




### FLUSH GLAZED



### TRIMMABLE



### FIRE RATED



**PLASTPRO DOOR**



**THEIR DOOR**



- 1** Full length composite top and bottom rails prevent any water penetration and enhance screw holding ability.
- 2** High impact reinforced skin with deep embossment creates beautiful shadow lines and will not split, warp, dent or rust.
- 3** Full length composite stiles prevent water infiltration and enhance screw holding power.
- 4** Full length LVL block for strength and durability provides more stability for multi-point hardware.
- 5** 100% Composite poly-fiber PF™ Door Frame is insect resistant, will not rot or split.

- 1** Composite bottom rails with wood exposed on the bottom of door allowing for moisture penetration.
- 2** Shallow embossed skin resembling steel doors, reducing curb appeal.
- 3** Limited length wood stiles allow moisture to enter creating future maintenance issues.
- 4** Average wood lock block of 12".
- 5** Wood frame material will crack or rot over time.



# ARRIVING PRODUCTS

## 8'0" 3/4 TWO PANEL

SMOOTH

OAK



DRS2980

DRG2980

## 8'0" THREE PANEL SHAKER

SMOOTH

FIR




DRS3F80

DRF3F80

## 6'8" FIVE PANEL SHAKER


SMOOTH

FIR




DRS50


DRF50

Contact your Dealer / Sales Representative for more information about our new arriving products. You will find that arriving products throughout this catalog are marked with .









# PF™ DOOR FRAMES

PF™ Door Frames from Plastpro, Inc. are an innovative new alternative to traditional wood door jams. After extensive research and development, Plastpro formulated a poly-fiber door frame system that combines all the strength and convenience of wood but with enhanced properties to resist moisture, rot, and insect penetration. This unique formulation means that Plastpro's PF™ Frames will not absorb or wick moisture and remain warp free, splinter free and rot free. The advanced PF™ Door Frame system can be machined the same way as traditional wood jams with no added hassles. Plastpro's PF™ Door Frames guarantee a long-lasting, rot-free entryway that will maintain its integrity today, tomorrow, as well as many years to come.

## FEATURES & BENEFITS

- Closed cellular structure ensures door frame & molding will not absorb or wick moisture, and prevents warping, rotting, and splitting
- Plastpro's HydroShield™ Technology
- Rigid poly-fiber formulation eliminates the need for an aluminum support channel
- Twice the screw holding power of traditional wood door frames
- Easily machined just like wood frames
- Available in various lengths and widths.



## FRAME DECAY COMPARISON

PLASTPRO PF™ DOOR FRAME  
\*with HydroShield Technology™



WOOD FRAME



## AVAILABLE GRAINS

FIR GRAIN



READY TO STAIN

MAHOGANY



READY TO STAIN

EMBOSSED



READY TO STAIN

PRIMED



READY TO PAINT

WHITE CAPPED



NO PAINT REQUIRED

## FRAME COMPONENTS


4-9/16" DOOR FRAME



5-1/4" DOOR FRAME



6-9/16" DOOR FRAME



7-1/4" DOOR FRAME



WM180 BRICKMOLD




WM176 FLORIDA BRICKMOLD



1-1/2" x 1" MULL COVER



2" x 1" MULL COVER



1" x 2" STUCCOMOLD



4.528" x 17' PRIMED BACKBAND



3.21" x 6'8" ASTRAGAL



3.21" x 8'0" ASTRAGAL



## AVAILABLE GRAINS

FIR GRAIN



READY TO STAIN

MAHOGANY



READY TO STAIN

EMBOSSED



READY TO STAIN

PRIMED



READY TO PAINT

WHITE CAPPED



NO PAINT REQUIRED

## FRAME COMPONENTS

.551" x 8'4" SIDELITE STOPPER



NAILING FIN



J-CHANNEL



FLAT CASING



FLAT CASING J-CHANNEL



1-1/4" x 3" JAMB EXTENSION



1" x 2-1/2" STORM DOOR EXTENSION



1" x 3" STORM DOOR EXTENSION



4-9/16" TRANSOM SILL



6-9/16" TRANSOM SILL



MULL POST W/ LVL-3P



### MULL POST AVAILABLE IN:

- 1-1/2" x 3-9/16" x 2-1/2"
- 1" x 3-9/16" x 2"
- 1-1/2" x 4-3/8" x 2-1/2"
- 1" x 4-3/8" x 2"

# PF™ DOOR FRAMES ARCH & RADIUS KIT

Plastpro is the only fiberglass door manufacturer able to offer fully composite frames to match arch or radius top doors. Plastpro Arch Header and Radius Header Kits are also equipped with HydroShield™ Technology and are available in widths of 3'0" and 3'6"



## ARCH HEADER KIT

MATCHING DOOR	MATCHING KIT CODE	PRODUCT DIMENSION
DRA2C DRA2E	PFG043068AK PFG063068AK	4-9/16" ARCH FRAME & BRICKMOLD 6-9/16" ARCH FRAME & BRICKMOLD
DRA1C80 DRA2C80 DRAPC, DRAPC70, DRAPC80	PFG043080AK PFG063080AK	4-9/16" ARCH FRAME & BRICKMOLD 6-9/16" ARCH FRAME & BRICKMOLD
DRA1C80 DRAPC, DRAPC70, DRAPC80 DRA2C80 DRA2E	PFG043680AK PFG063680AK	4-9/16" ARCH FRAME & BRICKMOLD 6-9/16" ARCH FRAME & BRICKMOLD

## RADIUS HEADER KIT

MATCHING DOOR	MATCHING KIT CODE	PRODUCT DIMENSION
DRAPR, DRAPR70, DRAPR80 DRA2F80 DRA4C80	PFG04030H0RHK PFG06030H0RHK	4-9/16" RADIUS FRAME & BRICKMOLD 6-9/16" RADIUS FRAME & BRICKMOLD
DRAPR, DRAPR70, DRAPR80 DRA4C80	PFG04036H0RHK PFG06036H0RHK	4-9/16" RADIUS FRAME & BRICKMOLD 6-9/16" RADIUS FRAME & BRICKMOLD





## CHOOSING YOUR DOOR SYSTEM

---

With so many choices out in the market, selecting the ideal home entrance can pose a challenge. Plastpro has narrowed this process down into four simple steps: choosing the door type & paneling, choosing the decorative glass, customizing your entry system, and choosing the finish.

## STEP 1: CHOOSE DOOR TYPE & PANELING



MODERN    CHERRY    RUSTIC    MAHOGANY    FIR    OAK    SMOOTH    WHITE OAK    ONELITE

## STEP 2: CHOOSE DECORATIVE GLASS





## STEP 3: CUSTOMIZE YOUR ENTRY SYSTEM

- CREATE A DOUBLE DOOR ENTRY WAY
- ADD ONE OR TWO MATCHING SIDELITES
- ADD A MATCHING TRANSOM
- ADD DOOR ACCESSORIES
- COMPLETE WITH PFT™ DOOR FRAME




## STEP 4: CHOOSE FINISH

Plastpro's Pre-Finish Staining Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.




↑  
UPLOAD A PHOTO

≡  
VIEW PROJECTS



## DOORABILITY

Want to see our doors on your home before making a purchasing decision? At [www.plastproinc.com/doorability](http://www.plastproinc.com/doorability) you can. Whatever your style we have your fit. As a fiberglass entry door manufacturer we understand that your home is a reflection of who you are, that's why we have designed a visualizing tool that allows you to upload a photo of your home. Browse through our collection of door and glass options to truly visualize your perfect door.



Customize your dream entry way at:  
[www.plastproinc.com/doorability](http://www.plastproinc.com/doorability)

- EASY TO USE
- VISUALIZE THE PERFECT DOOR ON YOUR HOME
- SAVE, EMAIL AND YOUR CUSTOM DOOR
- DRAW IN YOUR OPENING FOR AN ACCURATE VISUALIZATION






DOORABILITY™



# DOOR SKIN OVERVIEW

PAGES 20 - 23





# TEAK

---


The Modern Door Collection combines sleek contemporary design with technologically advanced construction. Our Carved Doors add an elegant and contemporary feature like no other fiberglass door on the market, while our flushed glazed profiles create a true modern look without unsightly screw holes.



# CHERRY

---

Cherry is a Premium American hardwood prized for its natural luster, attractive grain, rich, and warm glow.



# RUSTIC

---


Our Rustic Series contains deep graining and distinct panel detail that resembles true distressed wood without any drawbacks.



# MAHOGANY

---

The Mahogany Series brings a beautiful hardwood tone that conveys the strong spirit of Mahogany with all the strength and integrity found in fiberglass.



# FIR

---

Our Fir Series captures the minute details of fine vertical graining for an overall traditional Craftsman appeal.



# OAK

---

Dressed in a rich oak grain texture, our Oak Doors give you the classic wood appearance without the downfalls of having a wood door.



# SMOOTH

---

Plastpro Smooth Doors are made with our exclusive HydroShield Technology™ our doors will never dent, rust, or delaminate like steel. Made with a pre-pigmented white skin, our doors resist the appearance of scratches.



# TRUE WHITE OAK

---

The True White Oak collection combines the best features from our Smooth and Oak Series, allowing you to enjoy the texture of a woodgrain in a Plastpro white finish.





# GLASS OVERVIEW

PAGES 26 - 37







# DECORATIVE DOORLITES

Our doorlites are composed of a piece of decorative glass sealed between two pieces of tempered safety glasses, that provide excellent safety, sound, and thermal performance. The state-of-the-art Warm Edge spacer system provides a seal that protects and insulates your door & home for years to come. Unlike the competition, our metal caming includes a gasket that cushions & protects the glass from chipping, cracking, and rattling during door movement.

## DOORLITE

### INSULATING SYSTEM

All Plastpro Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.

### PERFORMANCE FEATURES


- Warm-Edge Benefits: Superior silicone foam insulation, low thermal conductivity
- Silicon Foam Features: Excellent UV resistance and extreme temperature performance
- Dual-Seal Performance: Chamfered corners for increased sealant depth
- Tempered Safety Glass for your peace of mind



**TrueWARM®**  
spacers  
*Super Spacer®*

THERMOSET STRUCTURAL  
FOAM CONTAINING NO  
METAL WITH INTEGRAL 3A  
DESICCANT

CHAMFERED CORNER



TEMPERED SAFETY GLASS,  
FRONT & BACK

METAL CAMING

HOT MELT BUTYL SEAL

PRE-APPLIED ADVANCED  
MULTI-LAYERED VAPOR  
BARRIER CONTINUOUS  
AT CORNERS

PRESSURE SENSITIVE  
ACRYLIC ADHESIVE

\*This illustration applies to our triple pane glass only.

## GLASS CAMING

### GLASS CAMING OPTIONS

Our exclusive glass designs are offered with different caming options to match a variety of hardware finishes.



 WROUGHT IRON



 PATINA



 ZINC

## GLASS FRAMES

### BTHP™ SNAP-ON FRAMES

Our exclusive BTHP™ Snap-on Frames employ a series of specially designed clips that lock decorative glass firmly in place. Our BTHP™ Frames have no unsightly plugs or screws, and create a cleaner, more natural appearance in any entryway. Able to withstand temperatures over 200 degrees Fahrenheit, this frame is perfect for use in any door.



### WROUGHT IRON FRAMES

This maintenance-free Wrought Iron doorlite frame resists rust and corrosion while working to keep cold out in the winter and heat out in the summer. Specially engineered to complement the range of cutouts in the Rustic Series, each frame is beautifully hand made and has a durable powder coat finish. May also be used in select Smooth Skin, Woodgrain, and True White Oak doors.



# CAMELIA

**CAMING:** WROUGHT IRON  
**TRANSOM:** AVAILABLE



Camelia simplifies the wrought iron curvature, which contrasts against the waterfall textured background. This glass portrays sophistication, with a hint of ardor.

- 1 Wrought Iron
- 2 Waterfall Tempered Glass




# PRISCILLA

**CAMING:** WROUGHT IRON  
**TRANSOM:** AVAILABLE



The wrought iron lines gently curve to form an intricate pattern against the bubble tempered glass, finding the perfect blend between its dainty figure and dense structure.

- 1 Wrought Iron
- 2 Little Bubble Tempered Glass




# CHIANTI

**CAMING:** WROUGHT IRON  
**TRANSOM:** AVAILABLE



This arrangement finds the ideal balance between simplistic and complex as the clean wrought iron lines enhance the intricacy of the rainfall textured glass. The combination of straight and curved lines artistically blends to create a pattern as bold as its namesake.

- 1 Wrought Iron
- 2 Rain Glass



# ABERDEEN

**CAMING:** ZINC  
**TRANSOM:** AVAILABLE



For a more modern feel, this pattern mirrors a futuristic model with its stark, clean profile and frosty reed glass that is perfect for maintaining privacy within your home.

- 1 Zinc Caming
- 2 Reed Glass



# ARTESANO

CAMING: PATINA  
TRANSOM: AVAILABLE




Similar to its counterpart, Artesano Breeze, this design includes hints of yellowish tint to the otherwise clear and simplistic pattern, adding subtle details to this 1920's inspired piece.

- 1 Clear Hammer (100HS)
- 2 Patina Caming
- 3 Amber Glass
- 4 Sea Spray
- 5 Clear Bevel



PRIVACY RATING  
INCREASING OBSCURITY →



# ARTESANO BREEZE

CAMING: ZINC  
TRANSOM: AVAILABLE




This glass takes us back to the early twentieth century with its tasteful blend of small and large geometric figures. This pattern's transparent features work to create an overall delicate formation.

- 1 Clear Hammer (100HS)
- 2 Zinc Caming
- 3 Clear Bevel
- 4 Sea Spray



PRIVACY RATING  
INCREASING OBSCURITY →



# BRENTWOOD

**CAMING:** ZINC, PATINA  
**TRANSOM:** AVAILABLE




Another classically inspired arrangement, our Brentwood piece epitomizes a dominant-styled glass as demonstrated by its bold centerpiece, outlined by a crystal-like granite border.

- 1 Baroque
- 2 Clear Bevel
- 3 Bright Zinc, or Patina Caming
- 4 Granite



**PRIVACY RATING**  
INCREASING OBSCURITY



# CASTILE

**CAMING:** PATINA  
**TRANSOM:** AVAILABLE




Ornate in its nature and history, this baroque-inspired glass balances the intricacy of its centerpiece with a straightlined, beveled border.

- 1 Granite
- 2 Baroque
- 3 Patina Caming
- 4 Beveled



**PRIVACY RATING**  
INCREASING OBSCURITY



# CHARLOTTE

CAMING: ZINC, PATINA  
TRANSOM: AVAILABLE




The grand nature of our Charlotte glass is magnified by the detail within its glass combinations and ornately constructed centerpiece. This glass emanates the nobility of its name, capturing the essence of its French influence.

- 1 100 Water
- 2 Lava
- 3 Clear Bevel
- 4 Bright Zinc, or Patina Caming



PRIVACY RATING  
INCREASING OBSCURITY →



# ELIZABETH

CAMING: PATINA  
TRANSOM: AVAILABLE




The patina caming feature separates the diverse combination of glass textures into a complex geometric pattern. Its grooved border contrasts the smooth consistency of the glass within, framing this picture-perfect glass design.

- 1 Granite
- 2 Sable
- 3 Mistlite
- 4 Patina Caming



PRIVACY RATING  
INCREASING OBSCURITY →





# KENSINGTON

CAMING: PATINA  
TRANSOM: AVAILABLE




The combination of the frosted, straight and horizontal lines creates a more indigenous pattern that is underlined by the clear, water-like texture within its border. The scene depicted in this glass arrangement illustrates lush, green fields beside a refreshing body of water.

- 1 100 Water
- 2 Clear Bevel
- 3 Narrow Reed
- 4 Sandblasted Glass
- 5 Patina Caming



PRIVACY RATING  
INCREASING OBSCURITY →




# OXFORD

The frosted glass feature on this design allows for good privacy and seclusion, but is contradicted by the transparent check design that adds a hint of modern dimension to its elegant disposition.

- 1 Clear
- 2 Satin Etch



PRIVACY RATING  
INCREASING OBSCURITY →



# RIVERTON

Powerful bevels frame the bright, frosted glass without overriding the simplicity of the design, while each corner takes on a medieval feel that add a touch of character to its modest nature.

- 1 Clear Bevel
- 2 Satin Etch




# SOLSTICE

CAMING: PATINA  
TRANSOM: AVAILABLE



Our Solstice arrangement provides a simplistic border outlined in patina caming. The frosted glass creates a sense of complete seclusion, while small sections of the design allow for minimal light to come through.

- 1 Sable 3.0 MM Outer Border
- 2 Clear Pencil Bevel for Inner Border
- 3 Sable Bevels Center Background
- 4 Patina Caming



# SPRING

CAMING: PATINA  
TRANSOM: AVAILABLE




This arrangement emphasizes its clean-cut arrow design with two-tone glass colors that provide a subtle charm to its otherwise straight edge pattern. The water-like glass textures stay true to its name, as they remind us of the placidness of springtime.

- 1 Light Water
- 2 Clear Chord
- 3 Pale Gray Water
- 4 Patina Caming



PRIVACY RATING  
INCREASING OBSCURITY ----->



# TABITHA

CAMING: PATINA  
TRANSOM: AVAILABLE




The assortment of the three individual textures accentuates the romantic centerpiece of this glass arrangement, making the unique floral design stand out against its patterned background.

- 1 Granite
- 2 Double Water
- 3 Patina Caming
- 4 Clear Bevel



PRIVACY RATING  
INCREASING OBSCURITY ----->




# MINIBLINDS


GLASS OPTIONS: Clear Insulated Glass & LoE Glass

We've reinvented our Miniblinds feature to offer a clean, cordless design that incorporates a single, easy-to-use lever to control the height as well as the tilt of your blinds. Their placement between our LoE or Clear IG glass options eliminates dusting, making these Miniblinds effective and painless.

- 1 Miniblind
- 2 Clear IG or Low-E Glass



PRIVACY RATING  
INCREASING OBSCURITY →



# Modern

PLASTPRO INC.





Plastpro Fiberglass  
Doors equipped with  
PF™ Door Frames  
guarantee a long-lasting,  
rot-free entryway that will  
maintain its integrity today, tomorrow, as well  
as many years to come. Complete your entry unit  
with Plastpro PF™ Door Frames.




## MODERN SERIES


The Modern Door Collection combines sleek contemporary design with technologically advanced construction. Our Carved Doors add an elegant and contemporary feature like no other fiberglass door on the market, while our flushed glazed profiles create a true modern look without unsightly screw holes.



# MODERN FLUSH GLAZED DOORS



## MODERN GLASS INSERTS



## TRADITIONAL GLASS INSERTS





# MODERN CARVED DOORS



# Cherry

PLASTPRO INC.





Plastpro Fiberglass  
Doors equipped with  
PF™ Door Frames  
guarantee a long-lasting,  
rot-free entryway that will  
maintain its integrity today, tomorrow, as well  
as many years to come. Complete your entry unit  
with Plastpro PF™ Door Frames.



## CHERRY SERIES

Cherry is a Premium American hardwood prized for its natural luster, attractive grain, rich, and warm glow. Now you can enjoy the rich textures and sophisticated look with the added benefits of Plastpro's HydroShield Technology™. Our Cherry Fiberglass Doors are able to withstand even the most extreme weather conditions and can provide any home with a truly unique look.



# DOOR OVERVIEW





# Rustic

PLASTPRO INC.





Plastpro Fiberglass  
Doors equipped with  
PF™ Door Frames  
guarantee a long-lasting,  
rot-free entryway that will  
maintain its integrity today, tomorrow, as well  
as many years to come. Complete your entry unit  
with Plastpro PF™ Door Frames.



## RUSTIC SERIES

Our line of Rustic Doors are produced to provide a classic charm while bringing a contemporary appeal to any home. Any door in the Rustic Series contains deep graining and distinct panel detail that resembles true distressed wood without any drawbacks.



# DOOR OVERVIEW




DRAPC DRAPC70 DRAPC80




DRAPR DRAPR70 DRAPR80



DRATP DRATP70 DRATP80



DRA1A80



DRA1C80



DRA1P DRA1P80



DRA2A



DRA2A80



SLM6080



DRA2B



SLA2B




DRA2C DRA2C80



DRA2D



DRA2E



DRA2F80



DRA2P80



DRA2R80





DRA4C80



DRA4R80







- 1 Wrought Iron
- 2 Waterfall Tempered Glass





PRIVACY RATING  
INCREASING OBSCURITY ----->


Camelia simplifies the wrought iron curvature, which contrasts against the waterfall textured background. This glass portrays sophistication, with a hint of ardor.

# RUSTIC


6'8"	8'0"	6'8"	6'8"	6'8"	8'0"
					
3'0"	3'0"   3'6"	3'0"	2'10"   3'0"	3'0"	3'0"   3'6"
DRA2A CAM3R4	DRA2A80 CAM3R5 CAM3R6 (3'6")	DRA2A CAM344	DRA2B CAM344	DRA2C CAM3R4	DRA2C80 CAM3R5 CAM3R6 (3'6")
	SLM6080 CAMFL2		SLA2B CAMFL1		

6'8"	6'8"	8'0"	
			
2'10"   3'0"	2'10"   3'0"	3'0"   3'6"	
DRA2D CAM3R4	DRA2E CAM3R4	DRA2P80 CAMHL6 CAM346 (3'6")	
SLA2B CAMFL1		SLM6080 CAMFL2	


5'3" Width | Transom Fits:  
 1 3'0" Door and 2 1'0" Sidelites  
 2 2'6" Doors (Double Door Unit)

1'0"   
 CAMTR1R

5'6.5" Width | Fits Double Door  
 1 3'0" Door and 2 1'2" Sidelites  
 2 2'8" Doors (Double Door Unit)

1'1"   
 CAMTR2R





1

2

- 1 Wrought Iron
- 2 Little Bubble Tempered Glass






PRIVACY RATING  
INCREASING OBSCURITY ----->


The wrought iron lines gently curve to form an intricate pattern against the bubble tempered glass, finding the perfect blend between its dainty figure and dense structure.

# RUSTIC

6'8"	8'0"	6'8"	6'8"	6'8"	8'0"
					
3'0"	3'0"   3'6"	3'0"	2'10"   3'0"	3'0"	3'0"   3'6"
DRA2A PCL3R4	DRA2A80 PCL3R5 PCL3R6 (3'6")	DRA2A PCL344	DRA2B PCL344	DRA2C PCL3R4	DRA2C80 PCL3R5 PCL3R6 (3'6")


6'8"	6'8"	8'0"	
			
2'10"   3'0"	2'10"   3'0"	3'0"   3'6"	
DRA2D PCL3R4	DRA2E PCL3R4	DRA2P80 PCLHL6 PCL346 (3'6")	

5'3" Width | Transom Fits:  
 1 3'0" Door and 2 1'0" Sidelites  
 2 2'6" Doors (Double Door Unit)

1'0" 


PCLTR1R

5'6.5" Width | Fits Double Door  
 1 3'0" Door and 2 1'2" Sidelites  
 2 2'8" Doors (Double Door Unit)


1'1" 

PCLTR2R





- 1 Wrought Iron
- 2 Rain Glass



PRIVACY RATING  
INCREASING OBSCURITY ----->

This arrangement finds the ideal balance between simplistic and complex as the clean wrought iron lines enhance the intricacy of the rainfall textured glass. The combination of straight and curved lines artistically blends to create a pattern as bold as its namesake.

# RUSTIC



5'3" Width | Transom Fits:  
 1 3'0" Door and 2 1'0" Sidelites  
 2 2'6" Doors (Double Door Unit)



CHITR1R

5'6.5" Width | Fits Double Door  
 1 3'0" Door and 2 1'2" Sidelites  
 2 2'8" Doors (Double Door Unit)




CHITR2R





# RUSTIC ACCESSORIES

1.5" Square



ACCLP12Q

1.25" Square



ACCLP14Q

## DECORATIVE CLAVOS

Plastpro Decorative Clavos provide the perfect accent to some of the most beautiful and highest quality fiberglass doors in the industry. In addition to providing a distinct and unique element to any fiberglass distressed door, our Decorative Clavos enhance our fiberglass entry doors, and provide the perfect "finishing touch" to virtually every Rustic Door we provide.

1.5" Round



ACCLP12R




1.25" Round



ACCLP14R

## FEATURES & BENEFITS

- Easy to Apply
- Scientifically Formatted Adhesive Unique for Fiberglass Doors
- Masterfully Crafted Premium Metal Alloy
- Tough and Durable Powder Coat Finish







## SPEAKEASY & HINGE STRAP

Plastpro has extended its line of authentic door accessories with the addition of the Hinge Strap and a Speakeasy Kit. Our Hinge Straps and Speakeasy Kit are handcrafted from durable aluminum that resists rust and discoloration. The Speakeasy Kit comes with a distinctive rounded iron grill that enhances the old world styling of our Rustic Door Collection and helps to create a personalized look for your new entry way.

### FEATURES & BENEFITS

- Durable Powder Coat Finish
- Combats Rust and Discoloration
- Beautifully Textured
- Masterfully Handcrafted

Speakeasy



ACCSPKY0910KIT

Speakeasy



ACCSPKYGSB0KIT

18" Hinge Straps



ACCHGSTP18

View In  
6'8"



DRA2D  
ACCSPKY0910KIT

View Out  
8'0"



DRA2R80  
ACCHGSTP18  
ACCSPKY0910KIT

View In  
6'8"




DRA2D  
ACCSPKYGSB0KIT

View Out  
8'0"



DRA2R80  
ACCHGSTP18  
ACCSPKYGSB0KIT

8'0"



DRAPR80  
ACCHGSTP18

# Mahogany

PLASTPRO INC.





Plastpro Fiberglass  
Doors equipped with  
PF™ Door Frames  
guarantee a long-lasting,  
rot-free entryway that will  
maintain its integrity today, tomorrow, as well  
as many years to come. Complete your entry unit  
with Plastpro PF™ Door Frames.



## MAHOGANY SERIES

The Mahogany Series brings a beautiful hardwood tone that conveys the strong spirit of Mahogany with all the strength and integrity found in fiberglass. Each door is meticulously manufactured utilizing Plastpro's HydroShield Technology™ to guarantee the highest quality.



# DOOR OVERVIEW

6'8"



DRM3D

SLM3D

6'8"



3'0"

DRM4E

SLM60

6'8"



2'6" | 2'8" | 2'10" | 3'0"

DRM40

SLM60

6'8"



3'6"

DRM41

6'8"



3'0"

DRM60

SLM60

1'0" | 1'2"

8'0"



3'6"

DRM6080


SLM6080

1'0" | 1'2"



MAHOGANY SERIES OVERVIEW






### CAMELIA

- 1 Wrought Iron
- 2 Waterfall Tempered Glass

Camelia simplifies the wrought iron curvature, which contrasts against the waterfall textured background. This glass portrays sophistication, with a hint of ardor.



### PRISCILLA

- 1 Wrought Iron
- 2 Little Bubble Tempered Glass

The wrought iron lines gently curve to form an intricate pattern against the bubble tempered glass, finding the perfect blend between its dainty figure and dense structure.



### CHIANTI

- 1 Wrought Iron
- 2 Rain Glass

This arrangement finds the ideal balance between simplistic and complex as the clean wrought iron lines enhance the intricacy of the rainfall textured glass. The combination of straight and curved lines artistically blends to create a pattern as bold as its namesake.



### ABERDEEN

- 1 Reed Glass
- 2 Bright Zinc Caming

For a more modern feel, this pattern mirrors a futuristic model with its stark, clean profile and frosty reed glass that is perfect for maintaining privacy within your home.

6'8"



2'6" | 2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRM40 CAMFL7  
CAMFL5 (2'6")  
SLM3D CAMFL1

8'0"



3'6"

1'0" | 1'2"

DRM6080 CAM346  
SLM6080 CAMFL2

6'8"




2'6" | 2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRM40 PCLFL7  
PCLFL5 (2'6")  
SLM3D PCLFL1

8'0"



3'6"

1'0" | 1'2"

DRM6080 PCL346  
SLM6080 PCLFL2

6'8"



2'6" | 2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRM40 CHIFL7  
CHIFL5 (2'6")  
SLM3D CHIFL1

6'8"



2'6" | 2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRM40 CHIHL4  
CHIHL3 (2'6")  
SLM60 CHIHL2

8'0"



3'6"

1'0" | 1'2"

DRM6080 CHI346  
SLM6080 CHIFL2


6'8"



2'6" | 2'8" | 2'10" | 3'0"

DRM40 ABRFL7Z  
ABRFL5Z (2'6")






## ARTESANO

- 1 Clear Hammer (100HS)
- 2 Clear Bevel
- 3 Sea Spray
- 4 Amber Glass
- 5 Patina Caming

Similar to its counterpart, Artesano Breeze, this design includes hints of yellowish tint to the otherwise clear and simplistic pattern, adding subtle details to this 1920's inspired piece.



## ARTESANO BREEZE

- 1 Clear Hammer (100HS)
- 2 Clear Bevel
- 3 Sea Spray
- 4 Zinc Caming


This glass takes us back to the early twentieth century with its tasteful blend of small and large geometric figures. This pattern's transparent features work to create an overall delicate formation.



## BRENTWOOD

- 1 Granite
- 2 Baroque
- 3 Zinc or Patina Caming
- 4 Clear Bevel

Another classically inspired arrangement, our Brentwood piece epitomizes a dominant-styled glass as demonstrated by its bold centerpiece, outlined by a crystal-like granite border.



## CASTILE

- 1 Granite
- 2 Clear Bevel
- 3 Baroque
- 4 Patina Caming

Ornate in its nature and history, this baroque-inspired glass balances the intricacy of its centerpiece with a straight-lined, beveled border.



# MAHOGANY

6'8"



2'6" | 2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRM40  
ARTFL7P  
ARTFL5P (2'6")

SLM3D  
ARTFL1P

6'8"



2'6" | 2'8" | 2'10" | 3'0"

DRM40  
ARTHL4P  
ARTHL3P (2'6")

6'8"



3'0"

DRM60  
ARTTL1P

6'8"



2'6" | 2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRM40  
ARZFL7Z  
ARZFL5Z (2'6")

SLM3D  
ARZFL1Z

6'8"



2'6" | 2'8" | 2'10" | 3'0"

DRM40  
ARZHL4Z  
ARZHL3Z (2'6")

6'8"



3'0"

DRM60  
ARZTL1Z

6'8"




3'0"

1'0" | 1'2"

DRM3D  
BRE3V2Z/P

SLM3D  
BRE3V1Z/P

6'8"



3'0"

DRM4E  
BREEYRZ

6'8"



2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRM40  
BREFL7Z/P

SLM3D  
BREFL1Z/P


6'8"



2'8" | 2'10" | 3'0"

DRM40  
BREHL4Z/P

6'8"




3'0"

1'0" | 1'2"

DRM3D  
CAS3V2P

SLM3D  
CAS3V1P

6'8"



2'6" | 2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRM40  
CASFL7P  
CASFL5P (2'6")

SLM3D  
CASFL1P

6'8"



2'8" | 2'10" | 3'0"

DRM40  
CASHR1P



### CHARLOTTE

- 1 100 Water
- 2 Clear Bevel
- 3 Lava
- 4 Patina or Zinc Caming


The grand nature of our Charlotte glass is magnified by the detail within its glass combinations and ornately constructed centerpiece. This glass emanates the nobility of its name, capturing the essence of its French influence.



### ELIZABETH

- 1 Granite
- 2 Sable
- 3 Mistlite
- 4 Patina Caming


The patina caming feature separates the diverse combination of glass textures into a complex geometric pattern. Its grooved border contrasts the smooth consistency of the glass within, framing this picture perfect glass design.



### KENSINGTON

- 1 100 Water
- 2 Sandblasted Glass
- 3 Patina Caming
- 4 Clear Bevel
- 5 Narrow Reed Glass

The combination of the frosted, straight and horizontal lines creates a more indigenous pattern that is underlined by the clear, water-like texture within its border. The scene depicted in this glass arrangement illustrates lush, green fields beside a refreshing body of water.



### OXFORD

- 1 Clear Glass
- 2 Satin Etch

The frosted glass feature on this design allows for good privacy and seclusion, but is contradicted by the transparent check design that adds a hint of modern dimension to its elegant disposition.

# MAHOGANY

6'8"



DRM3D  
CHR3V2P/Z

SLM3D  
CHR3V1P/Z

6'8"



DRM40  
CHRFL7P/Z

SLM3D  
CHRFL1P/Z

6'8"



DRM40  
CHRHL4P/Z

SLM60  
CHRHL2P/Z

6'8"



DRM40  
CHRHR1P/Z

6'8"



DRM40  
ELZFL7P  
ELZFL5P (2'6")

SLM3D  
ELZFL1P

6'8"



DRM40  
ELZHL4P  
ELZHL3P (2'6")

SLM60  
ELZHL2P

6'8"



DRM60  
ELZTL1P

6'8"



DRM40  
KENFL7P  
KENFL5P (2'6")

SLM3D  
KENFL1P

6'8"



DRM40  
KENHL4P  
KENHL3P (2'6")

SLM60  
KENHL2P

6'8"



DRM40  
OXFFL7

SLM3D  
OXFFL1

6'8"



DRM40  
OXFHL4

SLM60  
OXFHL2




MAHOGANY GLASS COLLECTION



**RIVERTON**

- 1 Clear Bevel
- 2 Satin Etch


Powerful bevels frame the bright, frosted glass without overriding the simplicity of the design, while each corner takes on a medieval feel that add a touch of character to its modest nature.



**SOLSTICE**

- 1 Sable 3.0mm Outer Border
- 2 Clear Bevel
- 3 Sable Glass with Bevel Border
- 4 Patina Coming


Our Solstice arrangement provides a simplistic border outlined in patina coming. The frosted glass creates a sense of complete seclusion, while small sections of the design allow for minimal light to come through.



**SPRING**

- 1 Light Water
- 2 Patina Coming
- 3 Clear Chord
- 4 Pale Gray Water


This arrangement emphasizes its clean-cut arrow design with two-toned glass colors that provide a subtle charm to its otherwise straight edge pattern. The water-like glass textures stay true to its name, as they remind us of the placidness of springtime.



**TABITHA**

- 1 Granite
- 2 Double Water Glass
- 3 Clear Bevel
- 4 Patina Coming

The assortment of the three individual textures accentuates the romantic centerpiece of this glass arrangement, making the unique floral design stand out against its patterned background



6'8"



DRM40 RIVFL7  
SLM3D RIVFL1

6'8"



DRM40 RIVHL4  
SLM60 RIVHL2

6'8"



DRM40 SOLFL7P  
SLM3D SOLFL1P  
SOLFL5P (2'6")

6'8"



DRM40 SOLHL4P  
SLM60 SOLHL2P  
SOLHL3P (2'6")

6'8"



DRM40 SPRFL7P  
SLM3D SPRFL1P

6'8"



DRM40 SPRHL4P  
SLM60 SPRHL2P

6'8"



DRM60 SPRTL1P

6'8"



DRM3D TAB3V2P

6'8"



DRM40 TABFL7P  
SLM3D TABFL1P  
TABFL5P (2'6")

6'8"



DRM40 TABHL4P  
SLM60 TABHL3P (2'6")

6'8"



DRM40 TABHR1P



## MINIBLINDS

- 1 Miniblinds
- 2 Clear Insulated Glass or LoE Glass

We've reinvented our Miniblinds feature to offer a clean, cordless design that incorporates a single, easy-to-use lever to control the height as well as the tilt of your blinds. Their placement between our LoE or Clear IG glass options eliminates dusting, making these Miniblinds effective and painless.



6'8"

6'8"



DRM40  
MBC/MBLFL7  
MBC/MBLFL5 (2'6")

SLM60  
MBC/MBLFL1



DRM40  
MBC/MBLHL4

SLM60  
MBC/MBLHL2

■ IN STOCK ■ EXTENDED LEAD TIME



# Fir

PLASTPRO INC.







Plastpro Fiberglass  
Doors equipped with  
PF™ Door Frames  
guarantee a long-lasting,  
rot-free entryway that will  
maintain its integrity today, tomorrow, as well  
as many years to come. Complete your entry unit  
with Plastpro PF™ Door Frames.



## FIR SERIES

Our Fir Series captures the minute details of fine vertical graining for an overall traditional Craftsman appeal, with the graining characteristic of the Douglas Fir, it emphasizes the architecturally correct proportions of our fiberglass entry doors.



# DOOR OVERVIEW

6'8"



DRF3C SLFDC SLF3C

Models only available with glass. For glass options see Page 75.

8'0"



DRF3C80 SLF3C80

6'8"



DRF3F

8'0"



DRF3F80

6'8"



DRF50

FIR SERIES OVERVIEW





# FIR ACCESSORIES

## 3 Lite



6'8" ACSDF23001  
8'0" ACSDF23005

## SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro SDL Bars, also known as Simulated Divided Lights, are an energy efficient alternative to true divided lights to prevent unwanted heat or cold to enter your home. They can be used on the interior and exterior of your doorlite to create personalized look or to replicate classic designs. Plastpro SDL Bars add the rich three-dimensional effect of traditional wood products, without the risk of warping, cracking or rotting.

## 6 Lite



6'8" ACSDF23002  
8'0" ACSDF23006

## Sidelite



ACSDF23004

## FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment
- Will not rot or absorb moisture, and resists the growth of fungus and mildew
- Closed cellular structure prevents paint from peeling from the surface
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated

## 4 Block Dentil Shelf



ACDSFT2704

## DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight HDP and will not warp, rot or crack. High Density Polyurethane (HDP) is an excellent alternative to GFRG, GFRC, FRP, and traditional wood products. Available in Oak, Smooth, and Fir grained finishes.

## FEATURES & BENEFITS


- Energy Efficient
- Create Custom Looks
- Recreate Classic Designs
- Affordable



ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS/DEALERS

# Oak

PLASTPRO INC.



Oak Door DRG49 • Glass ART342P



Plastpro Fiberglass  
Doors equipped with  
PF™ Door Frames  
guarantee a long-lasting,  
rot-free entryway that will  
maintain its integrity today, tomorrow, as well  
as many years to come. Complete your entry unit  
with Plastpro PF™ Door Frames.



## OAK SERIES



Dressed in a rich oak grain texture, our Oak Doors give you the classic wood appearance without the downfalls of having a wood door. Our Oak Doors resemble the look, feel and texture of real wood without any of the problems associated with wood. Maintain the original look and feel of our home, but with all the benefits of fiberglass. Made with our exclusive HydroShield Technology™ our doors will never rot, warp or crack like wood.



# DOOR OVERVIEW



OAK SERIES OVERVIEW



■ IN STOCK 
 ■ EXTENDED LEAD TIME 
 ■ PRODUCT COMING SOON (SEE PAGES 8-9) 
 ALL OAK DOORS ARE SHOWN PRE-FINISHED



# OAK

6'8"



2'8" | 2'10" | 3'0"

DRG63

6'8"



3'0"

DRG80



1'0" | 1'2"

SLG80

8'0"



3'0" | 3'6"

DRG8080

6'8"



2'8" | 3'0"

DRG90

8'0"




3'0"

DRG9180



# CAMELIA



- 1 Wrought Iron
- 2 Waterfall Tempered Glass

9

PRIVACY RATING  
INCREASING OBSCURITY ----->

Camelia simplifies the wrought iron curvature, which contrasts against the waterfall textured background. This glass portrays sophistication, with a hint of ardor.

# OAK





1

2

1 Wrought Iron

2 Little Bubble Tempered Glass

9

PRIVACY RATING

INCREASING OBSCURITY




The wrought iron lines gently curve to form an intricate pattern against the bubble tempered glass, finding the perfect blend between its dainty figure and dense structure.

# OAK





- 1 Wrought Iron
- 2 Rain Glass



PRIVACY RATING  
INCREASING OBSCURITY ----->

This arrangement finds the ideal balance between simplistic and complex as the clean wrought iron lines enhance the intricacy of the rainfall textured glass. The combination of straight and curved lines artistically blends to create a pattern as bold as its namesake.

# OAK





- 1 Reed Glass
- 2 Bright Zinc Caming



For a more modern feel, this pattern mirrors a futuristic model with its stark, clean profile and frosty reed glass that is perfect for maintaining privacy within your home.



# OAK

6'8"



DRG00  
ABRFL7Z  
ABRFLSZ (2'6")

SLG00  
ABRFL1Z

7'0"



DRG0070  
ABRFL7Z  
ABRFLSZ (2'6")

SLG0070  
ABRFL1Z

8'0"



DRG0080  
ABRFL8Z  
ABRFL6Z (2'6")

SLG0080  
ABRFL2Z

8'0"



DRG3080  
ABRFL7Z


SLG3080  
ABRFL1Z

8'0"



DRG2980  
ABRFL7Z





- 1 Clear Hammer (100HS)
- 2 Clear Bevel
- 3 Sea Spray
- 4 Amber Glass
- 5 Patina Caming



PRIVACY RATING  
 INCREASING OBSCURITY ----->

Similar to its counterpart, Artesano Breeze, this design includes hints of yellowish tint to the otherwise clear and simplistic pattern, adding subtle details to this 1920's inspired piece.


# OAK

<p>6'8"</p>  <p>2'6"   2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG00 ARTFL7P ARTFL5P (2'6")</p> <p>SLG00 ARTFL1P</p>	<p>7'0"</p>  <p>2'6"   2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG0070 ARTFL7P ARTFL5P (2'6")</p> <p>SLG0070 ARTFL1P</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG0080 ARTFL8P</p> <p>SLG0080 ARTFL2P</p>	<p>6'8"    8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG29 ART342P</p> <p>DRG2980 ARTFL7P</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6" 1'0"   1'2"</p> <p>DRG3080 ARTFL7P</p> <p>SLG3080 ARTFL1P</p>
--	--	--	---	---

<p>6'8"    7'0"</p>  <p>3'0" 3'0"</p> <p>DRG31 ARTHL4P</p> <p>DRG3170 ARTHL4P</p>	<p>6'8"    7'0"</p>  <p>3'0" 3'0"</p> <p>DRG31 ART342P</p> <p>DRG3170 ART342P</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG41 ARTHL2P</p> <p>SLG60 ARTHL2P</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4170 ARTHL2P</p> <p>SLG4170 ARTHL2P</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4180 ART341P</p> <p>SLG4180 ART341P</p>
--	--	--	---	--

<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4B/40/41/6B/63 ARTHL4P</p> <p>SLG60 ARTHL2P</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG41/6170 ARTHL4P</p> <p>SLG41/6170 ARTHL2P</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4180 ART342P</p> <p>SLG4180 ART341P</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG49 ART341P</p> <p>SLG49 ART341P</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG49 ART342P</p> <p>SLG49 ART341P</p>
--	--	--	---	--

<p>6'8"</p>  <p>3'0" 1'0"   1'2"</p> <p>DRG6C ARTTL3P</p> <p>SLG60 ARTFL1P</p>	<p>6'8"</p>  <p>2'6"   3'0" 1'0"   1'2"</p> <p>DRG60 ARTTL1P ARTTL5P (2'6")</p> <p>SLG60 ARTFL1P</p>	<p>6'8"</p>  <p>3'0" 1'0"   1'2"</p> <p>DRG80 ART8C2P</p> <p>SLG80 ART8C1P</p>	<p>8'0"</p>  <p>3'0"</p> <p>DRG9180 ART341P</p>	<p>5'3" Width   Transom Fits: 1 3'0" Door and 2 1'0" Sidelites 2 2'6" Doors (Double Door Unit)</p>  <p>1'0"</p> <p>ARTTR1RP</p>
				<p>5'6.5" Width   Fits Double Door 1 3'0" Door and 2 1'2" Sidelites 2 2'8" Doors (Double Door Unit)</p>  <p>1'1"</p> <p>ARTTR2RP</p>



- 1 Clear Hammer (100HS)
- 2 Clear Bevel
- 3 Sea Spray
- 4 Zinc Caming



PRIVACY RATING  
INCREASING OBSCURITY ----->

This glass takes us back to the early twentieth century with its tasteful blend of small and large geometric figures. This pattern's transparent features work to create an overall delicate formation.

# OAK

<p>6'8"</p>  <p>2'6"   2'8"   2'10"   3'0"</p> <p>DRG00 ARZFL7Z ARZFLSZ (2'6")</p>	<p>7'0"</p>  <p>2'6"   2'8"   2'10"   3'0"</p> <p>DRG0070 ARZFL7Z ARZFLSZ (2'6")</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG0080 ARZFL8Z</p> <p>SLG0080 ARZFL2Z</p>	<p>6'8" 8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG29 ARZ342Z</p> <p>DRG2980 ARZFL7Z</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6"</p> <p>DRG3080 ARZFL7Z</p> <p>SLG3080 ARZFL1Z</p>
---	---	--	--	---

<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRG31 ARZHL4Z</p> <p>DRG3170 ARZHL4Z</p>	<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRG31 ARZ342Z</p> <p>DRG3170 ARZ342Z</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG41 ARZHL2Z</p> <p>SLG60 ARZHL2Z</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG4170 ARZHL2Z</p> <p>SLG4170 ARZHL2Z</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG4180 ARZ341Z</p> <p>SLG4180 ARZ341Z</p>
--	--	--	---	--

<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG4B/40/41/6B/63 ARZHL4Z</p> <p>SLG60 ARZFL1Z</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG41/6170 ARZHL4Z</p> <p>SLG41/6170 ARZFL1Z</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG4180 ARZ342Z</p> <p>SLG4180 ARZ341Z</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG49 ARZ341Z</p> <p>SLG49 ARZ341Z</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG49 ARZ342Z</p> <p>SLG49 ARZ341Z</p>
--	--	--	---	--

<p>6'8"</p>  <p>3'0"</p> <p>DRG6C ARZTL3Z</p> <p>SLG60 ARZFL1Z</p>	<p>6'8"</p>  <p>2'6"   3'0"</p> <p>DRG60 ARZTL1Z ARZTL5Z (2'6")</p> <p>SLG60 ARZFL1Z</p>	<p>6'8"</p>  <p>3'0"</p> <p>DRG80 ARZ8C2Z</p> <p>SLG80 ARZ8C1Z</p>	<p>8'0"</p>  <p>3'0"</p> <p>DRG9180 ARZ341Z</p>	<p>5'3" Width   Transom Fits: 1 3'0" Door and 2 1'0" Sidelites 2 2'6" Doors (Double Door Unit)</p>  <p>1'0"</p> <p>ARZTR1RZ</p>
				<p>5'6.5" Width   Fits Double Door 1 3'0" Door and 2 1'2" Sidelites 2 2'8" Doors (Double Door Unit)</p>  <p>1'1"</p> <p>ARZTR2RZ</p>

# BRENTWOOD



- 1 Granite
- 2 Baroque
- 3 Zinc or Patina Caming
- 4 Clear Bevel





















8

## PRIVACY RATING

INCREASING OBSCURITY ----->

Another classically inspired arrangement, our Brentwood piece epitomizes a dominant-styled glass as demonstrated by its bold centerpiece, outlined by a crystal-like granite border.

# OAK

<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG00 BREFL7P/Z</p> <p>SLG00 BREFL1P/Z</p> <p>1'0"   1'2"</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG0070 BREFL7P/Z</p> <p>SLG0070 BREFL1P/Z</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG0080 BREFL8P/Z</p> <p>SLG0080 BREFL2P/Z</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>3'0"</p> <p>DRG20 BRE3V2P/Z</p> <p>SLG3E BRE341P/Z</p> <p>1'0"   1'2"</p>	<p>6'8" 8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG29 BRE342P/Z</p> <p>DRG2980 BREFL7P/Z</p>
<p>6'8"</p>  <p>3'0"</p> <p>DRG3E BRE3V2P/Z</p> <p>SLG60 BREFL1P/Z</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>3'0"</p> <p>DRG3P BRE3V2P/Z</p> <p>SLG3P BRE3V1P/Z</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6"</p> <p>DRG3080 BRE3V3P/Z</p> <p>SLG3080 BREFL1P/Z</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6"</p> <p>DRG3080 BREFL7P/Z</p> <p>SLG3080 BREFL1P/Z</p> <p>1'0"   1'2"</p>	<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRG31 BREHL4P/Z</p> <p>DRG3170 BREHL4P/Z</p>
<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRG31 BRE342P/Z</p> <p>DRG3170 BRE342P/Z</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG41 BREHL2P/Z</p> <p>SLG60 BREHL2P/Z</p> <p>1'0"   1'2"</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG4170 BREHL2P/Z</p> <p>SLG4170 BREHL2P/Z</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG4180 BRE341P/Z</p> <p>SLG4180 BRE341P/Z</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG49 BRE341P/Z</p> <p>SLG49 BRE341P/Z</p> <p>1'0"   1'2"</p>
<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG4B/40/41/6B/63 BREHL4P/Z</p> <p>SLG60 BREFL1P/Z</p> <p>1'0"   1'2"</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG41/6170 BREHL4P/Z</p> <p>SLG41/6170 BREFL1P/Z</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG4180 BRE342P/Z</p> <p>SLG4180 BRE341P/Z</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG49 BRE342P/Z</p> <p>SLG49 BRE341P/Z</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>3'0"</p> <p>DRG6C BRETL3P/Z</p> <p>SLG60 BREFL1P/Z</p> <p>1'0"   1'2"</p>



# BRENTWOOD

6'8"



3'0"

DRG80  
BRE8C2P/Z



SLG80  
BRE8C1P/Z

8'0"



3'0" | 3'6"

DRG8080  
BRE8C3P/Z

6'8"



2'8" | 3'0"

DRG90  
BRE9P1P/Z

8'0"



3'0"

DRG9180  
BRE341P/Z

5'3" Width | Transom Fits:

- 1 3'0" Door and 2 1'0" Sidelites
- 2 2'6" Doors (Double Door Unit)

1'0"



BRETR1RP/Z

5'6.5" Width | Fits Double Door

- 1 3'0" Door and 2 1'2" Sidelites
- 2 2'8" Doors (Double Door Unit)


1'1"



BRETR2RP/Z




OAK



BRENTWOOD GLASS

# CASTILE






















- 1 Granite
- 2 Clear Bevel
- 3 Baroque
- 4 Patina Caming

8

PRIVACY RATING  
INCREASING OBSCURITY 

Ornate in its nature and history, this baroque-inspired glass balances the intricacy of its centerpiece with a straight-lined, beveled border.

# OAK

<p>6'8"</p>  <p>2'6"   2'8"   2'10"   3'0"</p> <p>DRG00 CASFL7P CASFL5P (2'6")</p> <p>SLG00 CASFL1P</p> <p>1'0"   1'2"</p>	<p>7'0"</p>  <p>2'6"   2'8"   2'10"   3'0"</p> <p>DRG0070 CASFL7P CASFL5P (2'6")</p> <p>SLG0070 CASFL1P</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG0080 CASFL8P</p> <p>SLG0080 CASFL2P</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>3'0"</p> <p>DRG20 CAS343P</p> <p>SLG60 CASFL1P</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>3'0"</p> <p>DRG20 CAS3V2P</p>
<p>6'8" 8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG29 CAS342P</p> <p>DRG2980 CASFL7P</p> <p>3'0"</p>	<p>6'8"</p>  <p>3'0"</p> <p>DRG3E CAS343P</p> <p>SLG3E CAS341P</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>3'0"</p> <p>DRG3E CAS3V2P</p> <p>SLG3E CAS341P</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>3'0"</p> <p>DRG3P CAS3V2P</p> <p>SLG3P CAS3V1P</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6"</p> <p>DRG3080 CAS3V3P</p> <p>SLG3080 CASFL2P</p> <p>1'0"   1'2"</p>
<p>8'0"</p>  <p>2'8"   3'0"   3'6"</p> <p>DRG3080 CASFL7P</p> <p>SLG3080 CASFL1P</p> <p>1'0"   1'2"</p>	<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRG31 CAS342P</p> <p>DRG3170 CAS342P</p>	<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRG31 CASHL4P</p> <p>DRG3170 CASHL4P</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG40 CASHR1P</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG49 CAS341P</p> <p>SLG49 CAS341P</p> <p>1'0"   1'2"</p>
<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG49 CAS342P</p> <p>SLG49 CAS341P</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG41 CASHL2P</p> <p>SLG41 CASHL2P</p> <p>1'0"   1'2"</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG4170 CASHL2P</p> <p>SLG4170 CASHL2P</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG4180 CAS341P</p> <p>SLG4180 CAS341P</p> <p>1'0"   1'2"</p>	

# CASTILE



6'8"



2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRG4B/40/41/6B/63  
CASHL4P

SLG60  
CASHL2P

7'0"




2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRG41/6170  
CASHL4P

SLG41/6170  
CASFL1P

8'0"



2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRG4180  
CAS342P

SLG4180  
CAS341P

8'0"



3'0"

DRG6080  
CASHL6P

8'0"



2'8" | 3'0" | 3'6"

1'0" | 1'2"

DRG8080  
CAS8C3P

SLG3080  
CASFL2P

8'0"



3'0"

DRG9180  
CAS341P

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)

1'0"



CASTR1RP

5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)


1'1"



CASTR2RP



# CHARLOTTE






















- 1 100 Water
- 2 Clear Bevel
- 3 Lava
- 4 Patina or Zinc Caming



PRIVACY RATING  
INCREASING OBSCURITY ----->

The grand nature of our Charlotte glass is magnified by the detail within its glass combinations and ornately constructed centerpiece. This glass emanates the nobility of its name, capturing the essence of its French influence.

# OAK

<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG00 CHRFL7P/Z</p> <p>SLG00 CHRFL1P/Z</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG0070 CHRFL7P/Z</p> <p>SLG0070 CHRFL1P/Z</p>	<p>6'8"</p>  <p>3'0" 1'0"   1'2"</p> <p>DRG20 CHR3V2P/Z</p> <p>SLG00 CHRFL1P/Z</p>	<p>6'8" 8'0"</p>  <p>2'8"   2'10"   3'0" 3'0"</p> <p>DRG29 CHR342P/Z</p> <p>DRG2980 CHRFL7P/Z</p>	<p>6'8"</p>  <p>3'0" 1'0"   1'2"</p> <p>DRG3E CHR3V2P/Z</p> <p>SLG3E CHR341P/Z</p>
<p>6'8"</p>  <p>3'0" 1'0"   1'2"</p> <p>DRG3P CHR3V2P/Z</p> <p>SLG3P CHR3V1P/Z</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6" 1'0"   1'2"</p> <p>DRG3080 CHRFL7P/Z</p> <p>SLG3080 CASFL1P</p>	<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRG31 CHR342P/Z</p> <p>DRG3170 CHR342P/Z</p>	<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRG31 CHRHL4P/Z</p> <p>DRG3170 CHRHL4P/Z</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG40 CHRHR1P/Z</p>
<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG41 CHRHL2P/Z</p> <p>SLG41 CHRHL2P/Z</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4170 CHRHL2P/Z</p> <p>SLG4170 CHRHL2P/Z</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4180 CHR341P/Z</p> <p>SLG4180 CHR341P/Z</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG49 CHR341P/Z</p> <p>SLG49 CHR341P/Z</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG49 CHR342P/Z</p> <p>SLG49 CHR341P/Z</p>
<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4B/40/41/6B/63 CHRHL4P/Z</p> <p>SLG60 CHRHL2P/Z</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG41/6170 CHRHL4P/Z</p> <p>SLG41/6170 CHRFL1P/Z</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4180 CHR342P/Z</p> <p>SLG4180 CHR341P/Z</p>	<p>6'8"</p>  <p>3'0" 1'0"   1'2"</p> <p>DRG80 CHR8C2P/Z</p> <p>SLG80 CHR8C1P/Z</p>	



8'0"



3'0"

DRG9180  
CHR341P/Z

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)

1'0"



CHRTR1RP/Z

5'6.5" Width | Fits Double Door

1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)


1'1"



CHRTR2RP/Z







- 1 Granite
- 2 Sable
- 3 Mistlite
- 4 Patina Caming



PRIVACY RATING  
INCREASING OBSCURITY ----->





The patina caming feature separates the diverse combination of glass textures into a complex geometric pattern. Its grooved border contrasts the smooth consistency of the glass within, framing this picture perfect glass design.

# OAK


<p>6'8"</p>  <p>2'6"   2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG00 ELZFL7P ELZFL5P (2'6")</p> <p>SLG60 ELZFL1P</p>	<p>7'0"</p>  <p>2'6"   2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG0070 ELZFL7P ELZFL5P (2'6")</p> <p>SLG0070 ELZFL1P</p>	<p>8'0"</p>  <p>2'6"   2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG0080 ELZFL8P ELZFL6P (2'6")</p> <p>SLG0080 ELZFL2P</p>	<p>6'8" 8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRG29 ELZ342P</p> <p>DRG2980 ELZFL7P</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6" 1'0"   1'2"</p> <p>DRG3080 ELZFL7P</p> <p>SLG03080 ELZFL1P</p>
--	--	--	--	--

<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRG31 ELZHL4P</p> <p>DRG3170 ELZHL4P</p>	<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRG31 ELZ342P</p> <p>DRG3170 ELZ342P</p>	<p>6'8"</p>  <p>2'6"   2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG41 ELZHL2P</p> <p>SLG60 ELZHL2P</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4170 ELZHL2P</p> <p>SLG4170 ELZHL2P</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4180 ELZ341P</p> <p>SLG4180 ELZ341P</p>
--	--	---	---	--

<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4B/40/41/6B/63 ELZHL4P</p> <p>SLG60 ELZHL2P</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG41/6170 ELZHL4P</p> <p>SLG41/6170 ELZHL2P</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4180 ELZ342P</p> <p>SLG4180 ELZ341P</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG49 ELZ341P</p> <p>SLG49 ELZ341P</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG49 ELZ342P</p> <p>SLG49 ELZ341P</p>
--	--	--	---	--

<p>6'8"</p>  <p>3'0"   1'0"   1'2"</p> <p>DRG6C ELZTL3P</p> <p>SLG60 ELZFL1P</p>	<p>6'8"</p>  <p>3'0"   1'0"   1'2"</p> <p>DRG60 ELZTL1P</p> <p>SLG60 ELZFL1P</p>	<p>5'3" Width   Transom Fits: 1 3'0" Door and 2 1'0" Sidelites 2 2'6" Doors (Double Door Unit)</p>  <p>1'0" ELZTR1RP</p>	<p>5'6.5" Width   Fits Double Door 1 3'0" Door and 2 1'2" Sidelites 2 2'8" Doors (Double Door Unit)</p>  <p>1'1" ELZTR2RP</p>
---	---	---	--






- 1 100 Water
- 2 Clear Bevel
- 3 Patina Caming
- 4 Narrow Reed Glass
- 5 Sandblasted Glass




PRIVACY RATING  
 INCREASING OBSCURITY ----->

The combination of the frosted, straight and horizontal lines creates a more indigenous pattern that is underlined by the clear, water-like texture within its border. The scene depicted in this glass arrangement illustrates lush, green fields beside a refreshing body of water.

# OAK






- 1 Clear Glass
- 2 Satin Etch


9

PRIVACY RATING  
 INCREASING OBSCURITY ----->

The frosted glass feature on this design allows for good privacy and seclusion, but is contradicted by the transparent check design that adds a hint of modern dimension to its elegant disposition.

# OAK





1

2

1 Clear Bevel

2 Satin Etch

8

PRIVACY RATING


INCREASING OBSCURITY ----->

Powerful bevels frame the bright, frosted glass without overriding the simplicity of the design, while each corner takes on a medieval feel that add a touch of character to its modest nature.



# OAK





- 1 Sable 3.0mm Outer Border
- 2 Clear Bevel
- 3 Sable Glass with Bevel Border
- 4 Patina Caming

8

PRIVACY RATING  
INCREASING OBSCURITY ----->

Our Solstice arrangement provides a simplistic border outlined in patina caming. The frosted glass creates a sense of complete seclusion, while small sections of the design allow for minimal light to come through.

# OAK

<p>6'8"</p>  <p>2'6"   2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG00 SOLFL7P SOLFL5P (2'6")</p> <p>SLG00 SOLFL1P</p>	<p>7'0"</p>  <p>2'6"   2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG0070 SOLFL7P SOLFL5P (2'6")</p> <p>SLG0070 SOLFL1P</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG0080 SOLFL8P</p> <p>SLG0080 SOLFL2P</p>	<p>6'8" 8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG29 SOL342P</p> <p>DRG2980 SOLFL7P</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6" 1'0"   1'2"</p> <p>DRG3080 SOLFL7P</p> <p>SLG3080 SOLFL1P</p>
--	--	--	--	---

<p>6'8" 7'0"</p>  <p>3'0" 1'0"   1'2"</p> <p>DRG31 SOL342P</p> <p>DRG3170 SOL342P</p>	<p>6'8" 7'0"</p>  <p>3'0" 1'0"   1'2"</p> <p>DRG31 SOLHL4P</p> <p>DRG3170 SOLHL4P</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG41 SOLHL2P</p> <p>SLG60 SOLHL2P</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4170 SOLHL2P</p> <p>SLG4170 SOLHL2P</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4180 SOL341P</p> <p>SLG4180 SOL341P</p>
--	--	--	---	--


<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG49 SOL341P</p> <p>SLG49 SOL341P</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG49 SOL342P</p> <p>SLG49 SOL341P</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4B/40/41/6B/63 SOLHL4P</p> <p>SLG60 SOLHL2P</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG41/6170 SOLHL4P</p> <p>SLG41/6170 SOLHL2P</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRG4180 SOL342P</p> <p>SLG4180 SOL341P</p>
--	--	--	---	--


<p>6'8"</p>  <p>3'0" 1'0"   1'2"</p> <p>DRG6C SOLTLP</p> <p>SLG60 SOLFL1P</p>	<p>8'0"</p>  <p>3'0" 1'1"</p> <p>DRG9180 SOL341P</p>
--	---

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)



5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)





- 1 Light Water
- 2 Patina Caming
- 3 Clear Chord
- 4 Pale Gray Water




PRIVACY RATING  
 INCREASING OBSCURITY ----->

This arrangement emphasizes its clean-cut arrow design with two-toned glass colors that provide a subtle charm to its otherwise straight edge pattern. The water-like glass textures stay true to its name, as they remind us of the placidness of springtime.

# OAK







- 1 Granite
- 2 Double Water Glass
- 3 Clear Bevel
- 4 Patina Caming



PRIVACY RATING  
 INCREASING OBSCURITY ----->

The assortment of the three individual textures accentuates the romantic centerpiece of this glass arrangement, making the unique floral design stand out against its patterned background


# OAK




5'3" Width | Transom Fits:  
 1 3'0" Door and 2 1'0" Sidelites  
 2 2'6" Doors (Double Door Unit)



5'6.5" Width | Fits Double Door  
 1 3'0" Door and 2 1'2" Sidelites  
 2 2'8" Doors (Double Door Unit)



# MINIBLINDS



2

1

1

Miniblinds

2

Clear Insulated Glass or LoE Glass

1 2 3 4 5 6 7 8 9 10

PRIVACY RATING

INCREASING OBSCURITY ----->

We've reinvented our Miniblinds feature to offer a clean, cordless design that incorporates a single, easy-to-use lever to control the height as well as the tilt of your blinds. Their placement between our LoE or Clear IG glass options eliminates dusting, making these Miniblinds effective and painless.



# OAK



# OAK ACCESSORIES

## DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight HDP and will not warp, rot or crack. High Density Polyurethane (HDP) is an excellent alternative to GFRG, GFRC, FRP, and traditional wood products.

### FEATURES & BENEFITS

- Recreate Classic Designs
- Create Custom Looks
- Affordable

4 Block Dentil Shelf



ACDSGT2704

16 Block Dentil Shelf



ACDSGT2716


6'8"

6'8"


6'8"

6'8"

6'8"



DRG6C  
ARTTL3P  
ACDSGT2704



DRG6C  
BRETL3Z  
ACDSGT2716



DRG6C  
ELZTL3P  
ACDSGT2704



DRG6C  
SOLTL3P  
ACDSGT2716



DRG6C  
SPRTL3P  
ACDSGT2704


3'0"

3'0"

3'0"

3'0"

3'0"





# Smooth

PLASTPRO INC.



Smooth Door DRS2G



Plastpro Fiberglass  
Doors equipped with  
PF™ Door Frames  
guarantee a long-lasting,  
rot-free entryway that will  
maintain its integrity today, tomorrow, as well  
as many years to come. Complete your entry unit  
with Plastpro PF™ Door Frames.




## SMOOTH SERIES

Plastpro Smooth Doors are a long lasting alternative to steel doors that provide all the benefit of fiberglass. Made with our exclusive HydroShield Technology™ our doors will never dent, rust, or delaminate like steel. Made with a pre-pigmented white skin, our doors resist the appearance of scratches.




# DOOR OVERVIEW



# SMOOTH





- 1 Wrought Iron
- 2 Waterfall Tempered Glass













9

PRIVACY RATING  
INCREASING OBSCURITY ----->

Camelia simplifies the wrought iron curvature, which contrasts against the waterfall textured background. This glass portrays sophistication, with a hint of ardor.



# SMOOTH

<p>6'8"</p>  <p>2'6"   2'8"   2'10"   3'0"</p> <p>DRS500 CAMFL7 CAMFL5 (2'6")</p> <p>SLS500 CAMFL1</p> <p>1'0"   1'2"</p>	<p>7'0"</p>  <p>2'6"   2'8"   2'10"   3'0"</p> <p>DRS0070 CAMFL7 CAMFL5 (2'6")</p> <p>SLS0070 CAMFL1</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'6"   2'8"   2'10"   3'0"</p> <p>DRS0080 CAMFL8 CAMFL7 (2'6")</p> <p>SLS0080 CAMFL2</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS2B/2D80 CAM342</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS2G80 CAM342</p>
<p>6'8" 8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS29 CAM342</p> <p>DRS2980 CAMFL7</p>	<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRS31 CAM342</p> <p>DRS3170 CAM342</p> <p>3'0"</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6"</p> <p>DRS3080 CAMFL7</p> <p>SLS3080 CAMFL1</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS49 CAM342</p> <p>SLS60 CAMFL1</p> <p>1'0"   1'2"</p>	
<p>8'0"</p>  <p>3'0"   3'6"</p> <p>DRS6080 CAMHL6 CAM346 (3'6")</p>	<p>6'8"</p>  <p>3'0"</p> <p>DRS80 CAM8C2</p> <p>SLS80 CAM8C1</p>	<p>5'3" Width   Transom Fits: 1 3'0" Door and 2 1'0" Sidelites 2 2'6" Doors (Double Door Unit)</p>  <p>1'0"</p> <p>CAMTR1R</p> <p>5'6.5" Width   Fits Double Door 1 3'0" Door and 2 1'2" Sidelites 2 2'8" Doors (Double Door Unit)</p>  <p>1'1"</p> <p>CAMTR2R</p>		





1

2

1 Wrought Iron

2 Little Bubble Tempered Glass

9



PRIVACY RATING

INCREASING OBSCURITY




The wrought iron lines gently curve to form an intricate pattern against the bubble tempered glass, finding the perfect blend between its dainty figure and dense structure.

# SMOOTH

<p>6'8"</p>  <p>2'6"   2'8"   2'10"   3'0"</p> <p>DRS00 PCLFL7 PCLFL5 (2'6")</p> <p>SLS00 PCLFL1</p> <p>1'0"   1'2"</p>	<p>7'0"</p>  <p>2'6"   2'8"   2'10"   3'0"</p> <p>DRS0070 PCLFL7 PCLFL5 (2'6")</p> <p>SLS0070 PCLFL1</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'6"   2'8"   2'10"   3'0"</p> <p>DRS0080 PCLFL8 PCLFL6 (2'6")</p> <p>SLS0080 PCLFL2</p> <p>1'0"   1'2"</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS2B/2D80 PCL342</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS2G80 PCL342</p>
<p>6'8" 8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS29 PCL342</p> <p>DRS2980 PCLFL7</p>	<p>6'8" 7'0"</p>  <p>3'0"</p> <p>DRS31 PCL342</p> <p>DRS3170 PCL342</p> <p>3'0"</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6"</p> <p>DRS3080 PCLFL7</p> <p>SLS3080 PCLFL1</p> <p>1'0"   1'2"</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS49 PCL342</p> <p>SLS60 PCLFL1</p> <p>1'0"   1'2"</p>	
<p>8'0"</p>  <p>3'0"   3'6"</p> <p>DRS6080 PCLHL6 PCL346 (3'6")</p>	<p>6'8"</p>  <p>3'0"</p> <p>DRS80 PCL8C2</p> <p>SLS80 PCL8C1</p> <p>1'0"   1'2"</p>	<p>5'3" Width   Transom Fits: 1 3'0" Door and 2 1'0" Sidelites 2 2'6" Doors (Double Door Unit)</p>  <p>1'0"</p> <p>PCLTR1R</p> <p>5'6.5" Width   Fits Double Door 1 3'0" Door and 2 1'2" Sidelites 2 2'8" Doors (Double Door Unit)</p>  <p>1'1"</p> <p>PCLTR2R</p>		





- 1 Wrought Iron
- 2 Rain Glass




PRIVACY RATING  
INCREASING OBSCURITY ----->

This arrangement finds the ideal balance between simplistic and complex as the clean wrought iron lines enhance the intricacy of the rainfall textured glass. The combination of straight and curved lines artistically blends to create a pattern as bold as its namesake.

# SMOOTH

<p>6'8"</p>  <p>2'6"   2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS00 CHIFL7 CHIFL5 (2'6")</p> <p>SLS00 CHIHL1</p>	<p>7'0"</p>  <p>2'6"   2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS0070 CHIFL7 CHIFL5 (2'6")</p> <p>SLS0070 CHIHL1</p>	<p>8'0"</p>  <p>2'6"   2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS0080 CHIFL8 CHIFL6 (2'6")</p> <p>SLS0080 CHIHL2</p>	<p>6'8"      8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS2B/2D CHIHL4</p> <p>DRS2B/2D80 CHI342</p>
<p>6'8"      8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS2G CHI342</p> <p>DRS2G80 CHI342</p>	<p>6'8"      8'0"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS29 CHI342</p> <p>DRS2980 CHIFL7</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6" 1'0"   1'2"</p> <p>DRS3080 CHIFL7</p> <p>SLSG0080 CHIHL1</p>	<p>6'8"      7'0"</p>  <p>3'0"</p> <p>DRS31 CHI342</p> <p>DRS3170 CHI342</p>
<p>6'8"      7'0"</p>  <p>3'0"</p> <p>DRS31 CHIHL4</p> <p>DRS3170 CHIHL4</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS41 CHIHL2</p> <p>SLS60 CHIHL2</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS4170 CHIHL2</p> <p>SLS4170 CHIHL2</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS49 CHI342</p> <p>SLS60 CHIFL1</p>
<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS4B/40/41/6B/63 CHIHL4</p> <p>SLS60 CHIHL2</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS41/6170 CHIHL4</p> <p>SLS41/6170 CHIFL1</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS4180 CHI342</p> <p>SLS4180 CHIFL2</p>	<p>5'3" Width   Transom Fits: 1 3'0" Door and 2 1'0" Sidelites 2 2'6" Doors (Double Door Unit)</p>  <p>1'0"</p> <p>CHITR1R</p> <p>5'6.5" Width   Fits Double Door 1 3'0" Door and 2 1'2" Sidelites 2 2'8" Doors (Double Door Unit)</p>  <p>1'1"</p> <p>CHITR2R</p>





1

2


- 1 Reed Glass
- 2 Bright Zinc Caming



For a more modern feel, this pattern mirrors a futuristic model with its stark, clean profile and frosty reed glass that is perfect for maintaining privacy within your home.

# SMOOTH





- 1 Clear Hammer (100HS)
- 2 Clear Bevel
- 3 Sea Spray
- 4 Amber Glass
- 5 Patina Caming




PRIVACY RATING  
 INCREASING OBSCURITY ----->

Similar to its counterpart, Artesano Breeze, this design includes hints of yellowish tint to the otherwise clear and simplistic pattern, adding subtle details to this 1920's inspired piece.



# SMOOTH






6'8"		6'8"		6'8"	
					
3'0"	1'0"   1'2"	2'6"   3'0"	1'0"   1'2"	3'0"	1'0"   1'2"
DRS6C ARTTL3P	SLS60 ARTFL1P	DRS60 ARTTL1P ARTTL5P (2'6")	SLS60 ARTFL1P	DRS80 ART8C2P	SLS80 ART8C1P


5'3" Width | Transom Fits:  
 1 3'0" Door and 2 1'0" Sidelites  
 2 2'6" Doors (Double Door Unit)



5'6.5" Width | Fits Double Door  
 1 3'0" Door and 2 1'2" Sidelites  
 2 2'8" Doors (Double Door Unit)








- 1 Clear Hammer (100HS)
- 2 Clear Bevel
- 3 Sea Spray
- 4 Zinc Caming



PRIVACY RATING  
INCREASING OBSCURITY ----->

This glass takes us back to the early twentieth century with its tasteful blend of small and large geometric figures. This pattern's transparent features work to create an overall delicate formation.

# SMOOTH



# SMOOTH

6'8"

6'8"

6'8"



3'0"

DRS6C  
ARZTL3Z

SLS60  
ARZFL1Z

1'0" | 1'2"

2'6" | 3'0"

DR560  
ARZTL1Z  
ARZTL5Z (2'6")

SLS60  
ARZFL1Z

1'0" | 1'2"

3'0"

DR580  
ARZ8C2Z

SLS80  
ARZ8C1Z

1'0" | 1'2"

5'3" Width | Transom Fits:  
 1 3'0" Door and 2 1'0" Sidelites  
 2 2'6" Doors (Double Door Unit)

1'0"




ARZTR1RZ

5'6.5" Width | Fits Double Door  
 1 3'0" Door and 2 1'2" Sidelites  
 2 2'8" Doors (Double Door Unit)

1'1"



ARZTR2RZ



# BRENTWOOD



- 1 Granite
- 2 Baroque
- 3 Zinc or Patina Caming
- 4 Clear Bevel



8

PRIVACY RATING  
INCREASING OBSCURITY ----->

Another classically inspired arrangement, our Brentwood piece epitomizes a dominant-styled glass as demonstrated by its bold centerpiece, outlined by a crystal-like granite border.



# SMOOTH



# SMOOTH



6'8"	7'0"	8'0"	6'8"
2'8"   2'10"   3'0" 1'0"   1'2"	2'8"   2'10"   3'0" 1'0"   1'2"	2'8"   2'10"   3'0" 1'0"   1'2"	3'0" 1'0"   1'2"
DR54B/40/41/6B/63 BREHL4P/Z	SLS60 BREFL1P/Z	DR541/6170 BREHL4P/Z	SLS41/6170 BREFL1P/Z
		DR54180 BRE342P/Z	SLS4180 BRE341P/Z
			DR56C BRETL3P/Z
			SLS60 BREFL1P/Z

6'8"	8'0"	6'8"
3'0" 1'0"   1'2"	3'0"   3'6"	2'8"   3'0"
DR580 BRE8C2P/Z	SLS80 BRE8C1P/Z	DR58080 BRE8C3P/Z
		DR590 BRE9P1P/Z

5'3" Width | Transom Fits:  
 1 3'0" Door and 2 1'0" Sidelites  
 2 2'6" Doors (Double Door Unit)

1'0"


BRETR1RP/Z

5'6.5" Width | Fits Double Door  
 1 3'0" Door and 2 1'2" Sidelites  
 2 2'8" Doors (Double Door Unit)

1'1"

BRETR2RP/Z







- 1 Granite
- 2 Clear Bevel
- 3 Baroque
- 4 Patina Caming



PRIVACY RATING  
INCREASING OBSCURITY ----->

Ornate in its nature and history, this baroque-inspired glass balances the intricacy of its centerpiece with a straight-lined, beveled border.

# SMOOTH



# CASTILE


CASTILE GLASS



6'8"	7'0"	8'0"	6'8"
2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"
1'0"   1'2"	1'0"   1'2"	1'0"   1'2"	1'0"   1'2"
DRS4B/40/41/6B/63 CASHL4P	SLS60 CASHL2	DRS41/6170 CASHL4P	SLS41/6170 CASHL2
		DRS4180 CAS342P	SLS4180 CAS341P
			DRS49 CAS342P
			SLS49 CAS341P

8'0"	8'0"	
3'0"	3'0"   3'6"	1'0"
DRS6080 CASHL6P	DRS8080 CAS8C3P	SLS3080 CASFL2P
		CASTR1RP
		5'3" Width   Transom Fits: 1 3'0" Door and 2 1'0" Sidelites 2 2'6" Doors (Double Door Unit)
		1'1"
		CASTR2RP
		5'6.5" Width   Fits Double Door 1 3'0" Door and 2 1'2" Sidelites 2 2'8" Doors (Double Door Unit)





- 1 100 Water
- 2 Clear Bevel
- 3 Lava
- 4 Patina or Zinc Caming























PRIVACY RATING  
 INCREASING OBSCURITY ----->

The grand nature of our Charlotte glass is magnified by the detail within its glass combinations and ornately constructed centerpiece. This glass emanates the nobility of its name, capturing the essence of its French influence.



# SMOOTH

<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS50 CHRFL7P/Z</p> <p>SLG00 CHRFL1P/Z</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS0070 CHRFL7P/Z</p> <p>SLG0070 CHRFL1P/Z</p>	<p>6'8" 8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS2B/2D CHRHL4P/Z</p> <p>DRS2B/2D80 CHR342P/Z</p>	<p>6'8" 8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS2G CHRHL4P/Z</p> <p>DRS2G80 CHR342P/Z</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0"</p> <p>DRS40 CHRHR1P/Z</p>
<p>6'8"</p>  <p>3'0"   1'0"   1'2"</p> <p>DRS20 CHR3V2P/Z</p> <p>SLS00 CHRFL1P/Z</p>	<p>6'8" 8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS29 CHR342P/Z</p> <p>DRS2980 CHRFL7P/Z</p>	<p>6'8"</p>  <p>3'0"   1'0"   1'2"</p> <p>DRS3E CHR3V2P/Z</p> <p>SLS3E CHR341P/Z</p>	<p>6'8"</p>  <p>3'0"   1'0"   1'2"</p> <p>DRS3P CHR3V2P/Z</p> <p>SLS3P CHR3V1P/Z</p>	<p>6'8" 7'0"</p>  <p>3'0"   1'0"   1'2"</p> <p>DRS31 CHR342P/Z</p> <p>DRS3170 CHR342P/Z</p>
<p>6'8" 7'0"</p>  <p>3'0"   1'0"   1'2"</p> <p>DRS31 CHRHL4P/Z</p> <p>DRS3170 CHRHL4P/Z</p>	<p>8'0"</p>  <p>2'8"   3'0"   3'6" 1'0"   1'2"</p> <p>DRS3080 CHRFL7P/Z</p> <p>SLS3080 CASFL1P</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS41 CHRHL2P/Z</p> <p>SLS41 CHRHL2P/Z</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS4170 CHRHL2P/Z</p> <p>SLS4170 CHRHL2P/Z</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS4180 CHR341P/Z</p> <p>SLS4180 CHR341P/Z</p>
<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS4B/40/41/6B/63 CHRHL4P/Z</p> <p>SLS60 CHRHL2P/Z</p>	<p>7'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS41/6170 CHRHL4P/Z</p> <p>SLS41/6170 CHRFL1P/Z</p>	<p>8'0"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS4180 CHR342P/Z</p> <p>SLS4180 CHR341P/Z</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS49 CHR341P/Z</p> <p>SLS49 CHR341P/Z</p>	<p>6'8"</p>  <p>2'8"   2'10"   3'0" 1'0"   1'2"</p> <p>DRS49 CHR342P/Z</p> <p>SLS49 CHR341P/Z</p>



6'8"

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)



DRS80  
CHR8C2P/Z



SLS80  
CHR8C1P/Z

1'0"



CHRTR1RP/Z


5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)

1'1"



CHRTR2RP/Z






- 1 Granite
- 2 Sable
- 3 Mistlite
- 4 Patina Caming




PRIVACY RATING  
 INCREASING OBSCURITY ----->

The patina caming feature separates the diverse combination of glass textures into a complex geometric pattern. Its grooved border contrasts the smooth consistency of the glass within, framing this picture perfect glass design.

# SMOOTH





- 1 100 Water
- 2 Clear Bevel
- 3 Patina Caming
- 4 Narrow Reed Glass
- 5 Sandblasted Glass




PRIVACY RATING  
 INCREASING OBSCURITY ----->

The combination of the frosted, straight and horizontal lines creates a more indigenous pattern that is underlined by the clear, water-like texture within its border. The scene depicted in this glass arrangement illustrates lush, green fields beside a refreshing body of water.

# SMOOTH





- 1 Clear Glass
- 2 Satin Etch




PRIVACY RATING  
 INCREASING OBSCURITY ----->

The frosted glass feature on this design allows for good privacy and seclusion, but is contradicted by the transparent check design that adds a hint of modern dimension to its elegant disposition.



# SMOOTH





1

2

- 1 Clear Bevel
- 2 Satin Etch


8

PRIVACY RATING  
 INCREASING OBSCURITY ----->

Powerful bevels frame the bright, frosted glass without overriding the simplicity of the design, while each corner takes on a medieval feel that add a touch of character to its modest nature.

# SMOOTH






- 1 Sable 3.0mm Outer Border
- 2 Clear Bevel
- 3 Sable Glass with Bevel Border
- 4 Patina Caming




PRIVACY RATING  
INCREASING OBSCURITY ----->

Our Solstice arrangement provides a simplistic border outlined in patina caming. The frosted glass creates a sense of complete seclusion, while small sections of the design allow for minimal light to come through.

# SMOOTH






- 1 Light Water
- 2 Patina Caming
- 3 Clear Chord
- 4 Pale Gray Water

9

PRIVACY RATING  
 INCREASING OBSCURITY ----->

This arrangement emphasizes its clean-cut arrow design with two-toned glass colors that provide a subtle charm to its otherwise straight edge pattern. The water-like glass textures stay true to its name, as they remind us of the placidness of springtime.

# SMOOTH



# SPRING

6'8"

6'8"

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)



SPRTR1RP

5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)

3'0"

1'0" | 1'2"

2'8" | 3'0"

1'1"



SPRTR2RP

DRS60  
SPRTL1P


SLS60  
SPRFL1P


DRS90  
SPR9P1P



SPRING GLASS










- 1 Granite
- 2 Double Water Glass
- 3 Clear Bevel
- 4 Patina Coming

7


PRIVACY RATING  
INCREASING OBSCURITY ----->

The assortment of the three individual textures accentuates the romantic centerpiece of this glass arrangement, making the unique floral design stand out against its patterned background

# SMOOTH



# MINIBLINDS



- 1 Miniblinds
- 2 Clear Insulated Glass or LoE Glass

1 2 3 4 5 6 7 8 9 10

PRIVACY RATING  
INCREASING OBSCURITY ----->

We've reinvented our Miniblinds feature to offer a clean, cordless design that incorporates a single, easy-to-use lever to control the height as well as the tilt of your blinds. Their placement between our LoE or Clear IG glass options eliminates dusting, making these Miniblinds effective and painless.

# SMOOTH





# SMOOTH



DR53F



DR53C  
G000

SLS3C  
G000



DR53C80  
G000

SLS3C80  
G000



DR53C  
B03P

SLS3C  
B01P



DR53C80  
B03P

SLS3C80  
B01P



DR53C  
B06P

SLS3C  
B02P



DR53C80  
B06P

SLS3C80  
B02P



SLS3C  
SPRP

DR53C  
SPRP



DR53C80  
SPRP


SLS3C80  
SPRP





# SMOOTH ACCESSORIES

### 3 Lite



6'8" ACSDW23005  
8'0" ACSDW23001

## SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro SDL Bars, also known as Simulated Divided Lights, are an energy efficient alternative to true divided lights to prevent unwanted heat or cold to enter your home. They can be used on the interior and exterior of your doorlite to create personalized look or to replicate classic designs. Plastpro SDL Bars add the rich three-dimensional effect of traditional wood products, without the risk of warping, cracking or rotting.

### 6 Lite



6'8" ACSDW23006  
8'0" ACSDW23002

### Sidelite



ACSDW23004

## FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment
- Will not rot or absorb moisture, and resists the growth of fungus and mildew
- Closed cellular structure prevents paint from peeling from the surface
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated

6'8"



DRS3CG000 SLF3CG  
ACSDW23005 G000  
ACDSSW2704

8'0"



DRS3C80G000 SLS3C80  
ACSDW23001 G000  
ACDSSW2704

6'8"



DRS3CG000 SLS3CG000  
ACSDW23006 ACDF23004  
ACDSSW2704

8'0"



DRS3C80G000 SLS3C80G000  
ACSDW23002 ACDF23004  
ACDSSW2704

6'8"



DRS6C  
SPRTL3P  
ACDSSW2404

3'0"

3'0"

3'0"

3'0"

3'0"


1'0" | 1'2"

1'0" | 1'2"

1'0" | 1'2"

1'0" | 1'2"





## DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight HDP and will not warp, rot or crack. High Density Polyurethane (HDP) is an excellent alternative to GFRG, GFRC, FRP, and traditional wood products.

### FEATURES & BENEFITS

- Recreate Classic Designs
- Create Custom Looks
- Affordable

4 Block Dentil Shelf (DRS3F)



ACDSSW2404

4 Block Dentil Shelf



ACDSSW2704


16 Block Dentil Shelf




ACDSSW2716

# True White Oak

PLASTPRO INC.



True White Oak Door DRW60



Plastpro Fiberglass  
Doors equipped with  
PF™ Door Frames  
guarantee a long-lasting,  
rot-free entryway that will  
maintain its integrity today, tomorrow, as well  
as many years to come. Complete your entry unit  
with Plastpro PF™ Door Frames.









## TRUE WHITE OAK SERIES

The True White Oak Series combines the best features of our Smooth and Oak Doors; a traditional oak grain pattern and pre-pigmented white skin that resists scratches and yellowing for years to come. True White Oak combines the elegance of oak graining with a UV-protected white skin for stylish versatility.



# DOOR OVERVIEW



6'8"	7'0"	8'0"	6'8"
 <p>2'0"   2'4"   2'6"   2'8"   2'10"   3'0"</p>	 <p>1'0"   1'2"</p>	 <p>2'0"   2'4"   2'6"   2'8"   2'10"   3'0"</p>	 <p>1'0"   1'2"</p>
DRW00	SLW00	DRW0070	SLW0070
 <p>2'0"   2'4"   2'6"   2'8"   2'10"   3'0"</p>			 <p>2'8"   2'10"   3'0"</p>
DRW0080			DRW40

6'8"	7'0"	6'8"	8'0"	7'0"
 <p>2'8"   2'10"   3'0"</p>	 <p>2'8"   2'10"   3'0"</p>	 <p>1'0"   1'2"</p>	 <p>2'6"   3'0"</p>	 <p>1'0"   1'2"</p>
DRW41	DRW4170	SLW4170	DRW60	SLW60
 <p>2'6"   3'0"</p>			 <p>2'8"   2'10"   3'0"</p>	
DRW6080			DRW6170	
			 <p>1'0"   1'2"</p>	
			SLW6170	

6'8"




2'8" | 2'10" | 3'0"

DRW63



# CAMELIA



- 1 Wrought Iron
- 2 Waterfall Tempered Glass

9

PRIVACY RATING  
INCREASING OBSCURITY 

Camelia simplifies the wrought iron curvature, which contrasts against the waterfall textured background. This glass portrays sophistication, with a hint of ardor.

6'8"



DRW00  
CAMFL7  
CAMFL5 (2'6")

SLW00  
CAMFL1

7'0"



DRW0070  
CAMFL7  
CAMFL5 (2'6")

SLW0070  
CAMFL1

8'0"



DRW0080  
CAMFL8

8'0"



DRW6080  
CAMHL6

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)



CAMTR1R

5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)



CAMTR2R





- 1 Wrought Iron
- 2 Little Bubble Tempered Glass



PRIVACY RATING  
 INCREASING OBSCURITY ----->

The wrought iron lines gently curve to form an intricate pattern against the bubble tempered glass, finding the perfect blend between its dainty figure and dense structure.



# TRUE WHITE OAK

6'8"

2'6" | 2'8" | 2'10" | 3'0"



DRW00  
PCLFL7  
PCLFL5 (2'6")

SLW00  
PCLFL1

1'0" | 1'2"

7'0"

2'6" | 2'8" | 2'10" | 3'0"



DRW0070  
PCLFL7  
PCLFL5 (2'6")

SLW0070  
PCLFL1

1'0" | 1'2"

8'0"

2'8" | 2'10" | 3'0"



DRW0080  
PCLFL8

8'0"

3'0"



DRW6080  
PCLHL6

5'3" Width | Transom Fits:

- 1 3'0" Door and 2 1'0" Sidelites
- 2 2'6" Doors (Double Door Unit)

1'0"



PCLTR1R

5'6.5" Width | Fits Double Door

- 1 3'0" Door and 2 1'2" Sidelites
- 2 2'8" Doors (Double Door Unit)

1'1"



PCLTR2R






- 1 Wrought Iron
- 2 Rain Glass




PRIVACY RATING  
 INCREASING OBSCURITY ----->

This arrangement finds the ideal balance between simplistic and complex as the clean wrought iron lines enhance the intricacy of the rainfall textured glass. The combination of straight and curved lines artistically blends to create a pattern as bold as its namesake.

# TRUE WHITE OAK



5'3" Width | Transom Fits:  
 1 3'0" Door and 2 1'0" Sidelites  
 2 2'6" Doors (Double Door Unit)



5'6.5" Width | Fits Double Door  
 1 3'0" Door and 2 1'2" Sidelites  
 2 2'8" Doors (Double Door Unit)






1

2

- 1 Reed Glass
- 2 Bright Zinc Caming



PRIVACY RATING  
INCREASING OBSCURITY ----->

For a more modern feel, this pattern mirrors a futuristic model with its stark, clean profile and frosty reed glass that is perfect for maintaining privacy within your home.

6'8"

7'0"

8'0"



2'6" | 2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRW00  
ABRFL7Z  
ABRFLSZ (2'6")

SLW00  
ABRFL1Z



2'6" | 2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRW0070  
ABRFL7Z  
ABRFLSZ (2'6")


SLW0070  
ABRFL1Z



2'6" | 2'8" | 2'10" | 3'0"

DRW0080  
ABRFL8Z  
ABRFL6Z (2'6")





- 1 Clear Hammer (100HS)
- 2 Clear Bevel
- 3 Sea Spray
- 4 Amber Glass
- 5 Patina Caming



PRIVACY RATING  
 INCREASING OBSCURITY ----->

Similar to its counterpart, Artesano Breeze, this design includes hints of yellowish tint to the otherwise clear and simplistic pattern, adding subtle details to this 1920's inspired piece.

# TRUE WHITE OAK

6'8"

7'0"

6'8"

7'0"

6'8"



DRW00  
ARTFL7P  
ARTFL5P (2'6")

SLW00  
ARTFL1P



DRW0070  
ARTFL7P  
ARTFL5P (2'6")

SLW0070  
ARTFL1P



DRW41  
ARTHL2P

SLW60  
ARTHL2P



DRW4170  
ARTHL2P



DRW60  
ARTTL1P  
ARTTL5P (2'6")

SLW60  
ARTFL1P

6'8"

7'0"

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)




DRW40/41/63  
ARTHL4P

SLW60  
ARTFL1P



DRW41/6170  
ARTHL4P

SLW41/6170  
ARTFL1P




ARTTR1RP

5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)



ARTTR2RP





- 1 Clear Hammer (100HS)
- 2 Clear Bevel
- 3 Sea Spray
- 4 Zinc Caming



PRIVACY RATING  
 INCREASING OBSCURITY ----->

This glass takes us back to the early twentieth century with its tasteful blend of small and large geometric figures. This pattern's transparent features work to create an overall delicate formation.



# TRUE WHITE OAK

6'8"

7'0"

6'8"

7'0"

6'8"



2'6" | 2'8" | 2'10" | 3'0"  
**DRW00**  
**ARZFL7Z**  
**ARZFLSZ (2'6")**  
**SLW00**  
**ARZFL1Z**  
 1'0" | 1'2"



2'6" | 2'8" | 2'10" | 3'0"  
**DRW0070**  
**ARZFL7Z**  
**ARZFLSZ (2'6")**  
**SLW0070**  
**ARZFL1Z**  
 1'0" | 1'2"



2'8" | 2'10" | 3'0"  
**DRW41**  
**ARZHL2Z**  
**SLW60**  
**ARZHL2Z**  
 1'0" | 1'2"



2'8" | 2'10" | 3'0"  
**DRW4170**  
**ARZHL2Z**  
**SLW4170**  
**ARZHL2Z**  
 1'0" | 1'2"



2'6" | 3'0"  
**DRW60**  
**ARZTL1Z**  
**ARZTL5Z (2'6")**  
**SLW60**  
**ARZFL1Z**  
 1'0" | 1'2"

6'8"

7'0"


5'3" Width | Transom Fits:  
 1 3'0" Door and 2 1'0" Sidelites  
 2 2'6" Doors (Double Door Unit)



2'8" | 2'10" | 3'0"  
**DRW40/41/63**  
**ARZHL4Z**  
**SLW60**  
**ARZFL1Z**  
 1'0" | 1'2"



2'8" | 2'10" | 3'0"  
**DRW41/6170**  
**ARZHL4Z**  
**SLW41/6170**  
**ARZHL2Z**  
 1'0" | 1'2"



1'0"  
**ARZTR1RZ**

5'6.5" Width | Fits Double Door  
 1 3'0" Door and 2 1'2" Sidelites  
 2 2'8" Doors (Double Door Unit)



1'1"  
**ARZTR2RZ**



# BRENTWOOD



- 1 Granite
- 2 Baroque
- 3 Zinc or Patina Caming
- 4 Clear Bevel

8

## PRIVACY RATING

INCREASING OBSCURITY



Another classically inspired arrangement, our Brentwood piece epitomizes a dominant-styled glass as demonstrated by its bold centerpiece, outlined by a crystal-like granite border.

# TRUE WHITE OAK

6'8"

7'0"

6'8"

7'0"



2'8" | 2'10" | 3'0"




1'0" | 1'2"

DRW00  
BREFL7P/Z

SLW00  
BREFL1P/Z



2'8" | 2'10" | 3'0"



1'0" | 1'2"

DRW0070  
BREFL7P/Z

SLW0070  
BREFL1P/Z



2'8" | 2'10" | 3'0"



1'0" | 1'2"

DRW41  
BREHL2P/Z

SLW60  
BREHL2P/Z



2'8" | 2'10" | 3'0"

DRW4170  
BREHL2P/Z

6'8"

7'0"



2'8" | 2'10" | 3'0"




1'0" | 1'2"

DRW40/41/63  
BREHL4P/Z

SLW60  
BREFL1P/Z



2'8" | 2'10" | 3'0"




1'0" | 1'2"

DRW41/6170  
BREHL4P/Z

SLW41/6170  
BREFL1P/Z





- 1 Granite
- 2 Clear Bevel
- 3 Baroque
- 4 Patina Coming

8

PRIVACY RATING  
INCREASING OBSCURITY ----->

Ornate in its nature and history, this baroque-inspired glass balances the intricacy of its centerpiece with a straight-lined, beveled border.

# TRUE WHITE OAK

6'8"

7'0"

6'8"

6'8"

7'0"



DRW00  
CASFL7P  
CASFL5P (2'6")

SLW00  
CASFL1P



DRW0070  
CASFL7P  
CASFL5P (2'6")

SLW0070  
CASFL1P



DRW40  
CASHR1P

SLW60  
CASFL1P



DRW41  
CASHL2P

SLW60  
CASHL2P



DRW4170  
CASHL2P

6'8"

7'0"

8'0"



DRW40/41/63  
CASHL4P

SLW60  
CASFL1P



DRW41/6170  
CASHL4P



DRW6080  
CASHL6P

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)



1'0"  
CASTR1RP

5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)




1'1"  
CASTR2RP



CASTLE GLASS

# CHARLOTTE



- 1 100 Water
- 2 Clear Bevel
- 3 Lava
- 4 Patina or Zinc Caming



PRIVACY RATING  
INCREASING OBSCURITY 

The grand nature of our Charlotte glass is magnified by the detail within its glass combinations and ornately constructed centerpiece. This glass emanates the nobility of its name, capturing the essence of its French influence.

# TRUE WHITE OAK

6'8"

7'0"

6'8"

7'0"



DRW00  
CHRFL7P/Z

SLW00  
CHRFL1P/Z



DRW0070  
CHRFL7P/Z

SLW0070  
CHRFL1P/Z



DRW41  
CHRHL2P/Z

SLW41  
CHRHL2P/Z



DRW4170  
CHRHL2P/Z

SLW4170  
CHRHL2P/Z


6'8"

7'0"



DRW40/41/63  
CHRHL4P/Z

SLW60  
CHRHL2P/Z



DRW41/6170  
CHRHL4P/Z

SLW41/6170  
CHRFL1P/Z

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)



CHRTR1RP/Z


5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)



CHRTR2RP/Z



# ELIZABETH



- 1 Granite
- 2 Sable
- 3 Mistlite
- 4 Patina Caming



PRIVACY RATING  
INCREASING OBSCURITY ----->

The patina caming feature separates the diverse combination of glass textures into a complex geometric pattern. Its grooved border contrasts the smooth consistency of the glass within, framing this picture perfect glass design.



# TRUE WHITE OAK

6'8"

7'0"

8'0"

6'8"

7'0"



DRW00  
ELZFL7P  
ELZFL5P (2'6")  
SLW00  
ELZFL1P



DRW0070  
ELZFL7P  
ELZFL5P (2'6")  
SLW0070  
ELZFL1P



DRW0080  
ELZFL8P



DRW41  
ELZHL2P  
SLW60  
ELZHL2P



DRW4170  
ELZHL2P

6'8"

7'0"

6'8"



DRW40/41/63  
ELZHL4P  
SLW60  
ELZFL1P




DRW41/6170  
ELZHL4P  
SLW416170  
ELZHL2P



DRW60  
ELZTL1P  
SLW60  
ELZFL1P

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)




ELZTR1RP

5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)



ELZTR2RP





- 1 100 Water
- 2 Clear Bevel
- 3 Patina Caming
- 4 Narrow Reed Glass
- 5 Sandblasted Glass



PRIVACY RATING  
 INCREASING OBSCURITY ----->

The combination of the frosted, straight and horizontal lines creates a more indigenous pattern that is underlined by the clear, water-like texture within its border. The scene depicted in this glass arrangement illustrates lush, green fields beside a refreshing body of water.

# TRUE WHITE OAK

6'8"

7'0"

6'8"

7'0"



DRW00  
KENFL7P  
KENFL5P (2'6")

SLW00  
KENFL1P



DRW0070  
KENFL7P  
KENFL5P (2'6")

SLW0070  
KENFL1P



DRW41  
KENHL2P

SLW60  
KENHL2P



DRW4170  
KENHL2P

6'8"

7'0"



DRW40/41/63  
KENHL4P

SLW60  
KENFL1P



DRW41/6170  
KENHL4P

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)




KENTR1RP

5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)



KENTR2RP





- 1 Clear Glass
- 2 Satin Etch



PRIVACY RATING  
 INCREASING OBSCURITY ----->

The frosted glass feature on this design allows for good privacy and seclusion, but is contradicted by the transparent check design that adds a hint of modern dimension to its elegant disposition.

# TRUE WHITE OAK

6'8"

7'0"

6'8"

7'0"



2'8" | 2'10" | 3'0"

DRW00  
OXFFL7

SLW00  
OXFFL1

1'0" | 1'2"



2'8" | 2'10" | 3'0"

DRW0070  
OXFFL7

SLW0070  
OXFFL1

1'0" | 1'2"



2'8" | 2'10" | 3'0"

DRW41  
OXFHL2

SLW60  
OXFHL2

1'0" | 1'2"



2'8" | 2'10" | 3'0"

DRW4170  
OXFHL2

6'8"

7'0"



2'8" | 2'10" | 3'0"

DRW40/41/63  
OXFHL4

SLW60  
OXFFL1


1'0" | 1'2"




2'8" | 2'10" | 3'0"

DRW41/6170  
OXFHL4





- 1 Clear Bevel
- 2 Satin Etch



PRIVACY RATING  
 INCREASING OBSCURITY ----->

Powerful bevels frame the bright, frosted glass without overriding the simplicity of the design, while each corner takes on a medieval feel that add a touch of character to its modest nature.

# TRUE WHITE OAK

6'8"

7'0"

6'8"

7'0"



DRW00  
RIVFL7  
RIVFL5 (2'6")

SLW00  
RIVFL1



DRW0070  
RIVFL7  
RIVFL5 (2'6")

SLW0070  
RIVFL1



DRW41  
RIVHL2

SLW60  
RIVHL2



DRW4170  
RIVHL2

6'8"

7'0"



DRW40/41/63  
RIVHL4


SLW60  
RIVFL1



DRW41/6170  
RIVHL4

SLW416170  
RIVHL2





- 1 Sable 3.0mm Outer Border
- 2 Clear Bevel
- 3 Sable Glass with Bevel Border
- 4 Patina Caming

8

PRIVACY RATING  
 INCREASING OBSCURITY ----->

Our Solstice arrangement provides a simplistic border outlined in patina caming. The frosted glass creates a sense of complete seclusion, while small sections of the design allow for minimal light to come through.




# TRUE WHITE OAK

6'8"

7'0"

6'8"

7'0"



DRW00  
SOLFL7P  
SOLFL5P (2'6")  
SLW00  
SOLFL1P



DRW0070  
SOLFL7P  
SOLFL5P (2'6")  
SLW0070  
SOLFL1P



DRW41  
SOLHL2P  
SLW60  
SOLHL2P



DRW4170  
SOLHL2P

6'8"

7'0"



DRW40/41/63  
SOLHL4P  
SLW60  
SOLFL1P



DRW41/6170  
SOLHL4P  
SLW41/6170  
SOLHL2P

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)




SOLTR1RP

5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)



SOLTR2RP





- 1 Light Water
- 2 Patina Caming
- 3 Clear Chord
- 4 Pale Gray Water

9

PRIVACY RATING  
INCREASING OBSCURITY ----->

This arrangement emphasizes its clean-cut arrow design with two-toned glass colors that provide a subtle charm to its otherwise straight edge pattern. The water-like glass textures stay true to its name, as they remind us of the placidness of springtime.

# TRUE WHITE OAK


6'8"

7'0"

6'8"

7'0"

6'8"



2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRW00  
SPRFL7P

SLW00  
SPRFL1P



2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRW0070  
SPRFL7P

SLW0070  
SPRFL1P



2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRW41  
SPRHL2P

SLW60  
SPRHL2P



2'8" | 2'10" | 3'0"

DRW4170  
SPRHL2P



3'0"

1'0" | 1'2"

DRW60  
SPRTL1P

SLW60  
SPRFL1P

8'0"

6'8"

7'0"



3'0"

DRW6080  
SPRHL6P



2'8" | 2'10" | 3'0"

1'0" | 1'2"

DRW40/41/63  
SPRHL4P

SLW60  
SPRFL1P



2'8" | 2'10" | 3'0"

DRW41/6170  
SPRHL4P

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)



1'0"

SPRTR1RP

5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)




1'1"

SPRTR2RP



SPRING GLASS



- 1 Granite
- 2 Double Water Glass
- 3 Clear Bevel
- 4 Patina Caming



PRIVACY RATING  
 INCREASING OBSCURITY ----->

The assortment of the three individual textures accentuates the romantic centerpiece of this glass arrangement, making the unique floral design stand out against its patterned background

# TRUE WHITE OAK

6'8"

7'0"

6'8"

6'8"

7'0"



DRW00  
TABFL7P  
TABFL5P (2'6")

SLW00  
TABFL1P



DRW0070  
TABFL7P  
TABFL5P (2'6")

SLW0070  
TABFL1P




DRW40  
TABHR1P

SLW60  
TABFL1P



DRW40/41/63  
TABHL4P

SLW60  
TABFL1P



DRW41/6170  
TABHL4P

SLW41/6170  
TABHL2P

5'3" Width | Transom Fits:  
1 3'0" Door and 2 1'0" Sidelites  
2 2'6" Doors (Double Door Unit)



TABTR1RP

5'6.5" Width | Fits Double Door  
1 3'0" Door and 2 1'2" Sidelites  
2 2'8" Doors (Double Door Unit)




TABTR2RP



TABITHA GLASS

# MINIBLINDS



1

2

- 1 Miniblinds
- 2 Clear Insulated Glass or LoE Glass

1 2 3 4 5 6 7 8 9 10

PRIVACY RATING  
INCREASING OBSCURITY ----->

We've reinvented our Miniblinds feature to offer a clean, cordless design that incorporates a single, easy-to-use lever to control the height as well as the tilt of your blinds. Their placement between our LoE or Clear IG glass options eliminates dusting, making these Miniblinds effective and painless.

# TRUE WHITE OAK

6'8"

7'0"

8'0"

6'8"

7'0"

2'6" | 2'8" | 2'10" | 3'0"



DRW00  
MBC/MBLFL7  
MBC/MBLFL5 (2'6")

SLW60  
MBC/MBLFL1

1'0" | 1'2"

2'6" | 2'8" | 2'10" | 3'0"



DRW0070  
MBC/MBLFL7  
MBC/MBLFL5 (2'6")

SLW0070  
MBC/MBLFL1

1'0" | 1'2"

2'6" | 2'8" | 2'10" | 3'0"



DRW0080  
MBC/MBLFL8  
MBC/MBLFL6 (2'6")

SLW0080  
MBC/MBLFL2

1'0" | 1'2"

2'8" | 2'10" | 3'0"



DRW40/4163  
MBC/MBLHL4

2'8" | 2'10" | 3'0"



DRW41/6170  
MBC/MBLHL4





# Onelite

PLASTPRO INC.







Plastpro Fiberglass  
Doors equipped with  
PF™ Door Frames  
guarantee a long-lasting,  
rot-free entryway that will  
maintain its integrity today, tomorrow, as well  
as many years to come. Complete your entry unit  
with Plastpro PF™ Door Frames.



## ONELITE SERIES

Our Onelite Series creates the cleanest profiles available. It allows for an abundance of natural daylight and generous views. Doors are available with a Clear Double-Insulated Tempered Glass, LoE<sup>2</sup>, LoE<sup>3</sup>, GBG or MiniBlinds. Onelite Series Doors invite maximum light into your home using the most energy efficient technology.



# DOOR OVERVIEW

## OAK DOORS



6'8"



DRG10 C/L/L3 | SLG10 C/L/L3

6'8"



DRG10 G10 | SLG10 G05

6'8"



DRG10 G15 | SLG10 G05

6'8"



DRG10 ABRZ | SLG10 ABRZ

6'8"




DRG10B C/L | SLG10B C/L

6'8"



DRG12 C/L/L3 | SLG12 C/L/L3

6'8"



DRG12 G09 | SLG12 G03

6'8"



DRG12B C/L | SLG12B C/L

8'0"



DRG1W80 C/L/L3

8'0"



DRG1W80 G12

8'0"



DRG1W80 ABRZ

8'0"



DRG1W80B C/L

6'8"



DRM13 C/L | SLM13 C/L

8'0"



DRM1380 C/L | SLM1380 C/L

## MAHOGANY DOORS



SMOOTH DOORS



6'8"



DR510 C/L/L3 SLS10 C/L/L3

6'8"



DR510 G10 SLS10 G05

6'8"



DR510 G15 SLS10 G05

6'8"



DR510 ABRZ SLS10 ABRZ

6'8"



DR510B C/L SLS10B C/L

6'8"



DR512 C/L/L3 SLS12 C/L/L3

6'8"



DR512 G09 SLS12 G03

6'8"



DR512B C/L SLS12B C/L

6'8"



DR513 C/L SLS13 C/L

8'0"



DR51380 C/L SLS1380 C/L

8'0"



DR51Z80 C/L SLS1Z80 C/L

8'0"



DR51Z80 G12 SLS1Z80 G06

8'0"



DR51Z80 ABRZ SLS1Z80 ABRZ

8'0"



DR51Z80B C/L SLS1Z80B C/L





# ONELITE ACCESSORIES

8 & 10 Lite



6'8" ACSDM/S1368L08  
8'0" ACSDM/S1380L10

9 Lite



6'8" ACSDM/S1368L09  
8'0" ACSDM/S1380L09

## SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro SDL Bars, also known as Simulated Divided Lights, are an energy efficient alternative to true divided lights to prevent unwanted heat or cold to enter your home. They can be used on the interior and exterior of your doorlite to create personalized look or to replicate classic designs. Plastpro SDL Bars add the rich three-dimensional effect of traditional wood products, without the risk of warping, cracking or rotting.

Sidelite



6'8" ACSDM/S1368L02  
8'0" ACSDM/S1380L02

## FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment
- Will not rot or absorb moisture, and resists the growth of fungus and mildew
- Closed cellular structure prevents paint from peeling from the surface
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated

6'8"	8'0"		
			
2'6"   2'8"   3'0" 1'0"   1'2"	2'6"   2'8"   3'0" 1'0"   1'2"		
DRM13C/L ACSDM1368 L08	SLM13C/L ACSDM1368 L02	DRM1380C/L ACSDM1380 L10	SLM1380C/L ACSDM1380 L02

6'8"	8'0"		
			
2'6"   2'8"   3'0" 1'0"   1'2"	2'6"   2'8"   3'0" 1'0"   1'2"		
DRM13C/L ACSDM1368 L09	SLM13C/L ACSDM1368 L02	DRM1380C/L ACSDM1380 L09	SLM1380C/L ACSDM1380 L02



6'8"	8'0"	6'8"	8'0"
DR513C/L ACSDS1368 L08	SLS13C/L ACSDS1368 L02	DR51380C/L ACSDS1380 L10	SLS1380C/L ACSDS1380 L02
DR513C/L ACSDS1368 L09	SLS13C/L ACSDS1368 L02	DR51380C/L ACSDS1380 L09	SLS1380C/L ACSDS1380 L02

ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS/DEALERS

# Light Commercial

PLASTPRO INC.





Plastpro Fiberglass  
Doors equipped with  
PF™ Door Frames  
guarantee a long-lasting,  
rot-free entryway that will  
maintain its integrity today, tomorrow, as well  
as many years to come. Complete your entry unit  
with Plastpro PF™ Door Frames.



## LIGHT COMMERCIAL

Our Light Commercial doors offer a wide selection of styles to suit your needs. From Modern to True White Oak, each door has a 10" Bottom Rail. Our exclusive HydroShield Technology™ features fiberglass reinforced door skins, full length composite stiles, and composite top and bottom rails to prevent water infiltration on all six sides.





MODERN DOORS



6'8"



2'8" | 3'0"

DMG46

6'8"



2'8" | 3'0"

DMS1L  
CLLFL1

6'8"



2'8" | 3'0"

DMS1R  
CLLFL1

6'8"



2'8" | 3'0"

DMS1T  
CLLFL1

CHERRY DOORS



6'8"



2'8" | 2'10" | 3'0"

DRC21

OAK DOORS



7'0"



2'6" | 2'8" | 2'10" | 3'0"

DRG0070

8'0"



DRG0080

6'8"



2'8" | 2'10" | 3'0"

DRG4B

7'0"



2'8" | 2'10" | 3'0"

DRG4170

6'8"



2'8" | 2'10" | 3'0"

DRG6B

7'0"



2'8" | 2'10" | 3'0"

DRG6170

SMOOTH DOORS




7'0"



2'6" | 2'8" | 2'10" | 3'0"

DRS0070

8'0"



DRS0080

6'8"



2'8" | 2'10" | 3'0"

DRS4B

7'0"



2'8" | 2'10" | 3'0"

DRS4170

6'8"



2'8" | 2'10" | 3'0"

DRS6B

7'0"



2'8" | 2'10" | 3'0"

DRS6170





## ADA DOORS

### FEATURES & BENEFITS

- 6.5" Top Rail** Accommodates regular and parallel arm closer.
- Reinforced Stiles** For Panic Bar hardware and Exit Rim devices.
- 10.5" Bottom Rail** Accommodates regular and parallel arm closer.
- 5.5" Face Stiles** Accommodates all types of commercial hardware (including 2-3/4" backset 161 prep and mortise locks).
- Special Order** Sound Barrier Glass (STC:34) 3'6" and 4'0" widths



Reinforced for Arm Closer



Reinforced for Panic Bar or Exit Rim Device

# Trimmable

PLASTPRO INC.



## Trimmable Specs

Door height is trimmable up to 2.5" - a max of 5/8" from the top and a max of 1-7/8" from the bottom.

Door width is trimmable up to 2-1/8" - a max of 1-1/8" per side.



### Extended Composite Stile



Trimmable Stile

Polyurethane Core

Reinforced  
Fiberglass Skin

Trimmable Rail





Plastpro Fiberglass Doors equipped with PF™ Door Frames guarantee a long-lasting, rot-free entryway that will maintain its integrity today, tomorrow, as well as many years to come. Complete your entry unit with Plastpro PF™ Door Frames.



## TRIMMABLE SERIES

Plastpro Fiberglass Trimmable Doors ensure the perfect fit for every entry way. With the flexibility to size for the correct height and width of an existing entryway without reconstruction. Trimmable Doors are the latest innovation from Plastpro. Made with Plastpro's HydroShield Technology™ for long lasting durability, this is the door your home has been waiting for.



# 79-1/4" TRIMMABLE DOORS

79 1/4"



36"

DRC21T

79 1/4"



36"

DRM40T

79 1/4"



36"

DRG20T

79 1/4"



36"

DRG40T

79 1/4"



36"

DRS2BT

79 1/4"



36"

DRS2DT

79 1/4"



36"

DRS2GT

79 1/4"



36"

DRS20T

79 1/4"



36"

DRS3ET

79 1/4"



36"

DRS40T

79 1/4"



36"

DRS90T

# 80" TRIMMABLE DOORS

80"



36"

DMG46T

80"



36"

DMG51T

80"



36"

DRG00T

80"



36"

DRG41T

80"



36"

DRG61T

80"



36"

DRS00T

80"



30"

DRS41T

80"



30"

DRS61T



TRIMMABLE DOORS

# Fire Rated

PLASTPRO INC.






Plastpro Fiberglass Doors equipped with PF™ Door Frames guarantee a long-lasting, rot-free entryway that will maintain its integrity today, tomorrow, as well as many years to come. Complete your entry unit with Plastpro PF™ Door Frames.



## FIRE RATED SERIES

Made with fire retardant composite, Plastpro Fire Rated Doors are tested to withstand fire for a minimum of 20 minutes. Plastpro Fire Rated Fiberglass Doors qualify homeowners for energy savings that result in the reduction of your overall energy bill. We are the first and only fiberglass door manufacturer that provides not only fire rated doors, but waterproof entry systems as well. Our Fire Rated Doors are extremely durable and fire resistant. Most importantly, our doors provide a safe home that's affordable and energy efficient.



# FIRE RATED DOOR ANATOMY

- 1 Full Length Strike Stile
- 2 Fire Retardant Composite
- 3 Composite Stile Caps
- 4 Plastpro® Exclusive SMC Skin
- 5 Composite Bottom Rail




## TESTING RESULTS

ULC 10 C / NFPA 252 / ASTM E 2074 | FIRE RATED  
 CSFM 12-7A-1 | EXTERIOR WILDFIRE EXPOSURE TEST

- 6'8" Doors are tested with Wood, Steel & 20 min Fire Rated PF™ Door Frame
- 7'0" Doors are tested with Wood & 20 min Fire Rated PF™ Door Frame
- 8'0" Doors are tested with Wood & 20 min Fire Rated PF™ Door Frame
- All Doors are tested for single units only



MODERN  
DOORS




CHERRY  
DOORS



RUSTIC  
DOORS



MAHOGANY  
DOORS



# 20 MINUTE FIRE RATED DOORS

20 MINUTE FIRE RATED DOORS

## OAK DOORS



6'8"	7'0"	8'0"	6'8"	6'8"	6'8"
2'0"   2'4"   2'6"   2'8"   2'10"   3'0"	2'0"   2'4"   2'6"   2'8"   2'10"   3'0"	2'0"   2'4"   2'6"   2'8"   2'10"   3'0"   3'6"	3'0"	2'8"   2'10"   3'0"	3'0"
					
DRG0012	DRG00702	DRG00802	DRG2012	DRG292	DRG3E2

6'8"	8'0"	6'8"	6'8"	6'8"	6'8"
3'0"	2'8"   3'0"   3'6"	2'6"   2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	3'0"
					
DRG3P2	DRG30802	DRG4012	DRG4112	DRG492	DRG6C2

6'8"	8'0"
2'6"   2'8"   3'0"	2'6"   2'8"   3'0"
	
DRG602	DRG60802

## SMOOTH DOORS



6'8"	7'0"	8'0"	6'8"	8'0"	6'8"
2'0"   2'4"   2'6"   2'8"   2'10"   3'0"	2'0"   2'4"   2'6"   2'8"   2'10"   3'0"	2'0"   2'4"   2'6"   2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"
					
DR5002	DR500702	DR500802	DR52B2	DR52B802	DR52D2

# 20 MINUTE FIRE RATED DOORS



20 MINUTE FIRE RATED DOORS

# 20 MINUTE FIRE RATED DOORS



20 MINUTE FIRE RATED DOORS

## WHITE OAK DOORS




6'8"	7'0"	8'0"	6'8"	6'8"	7'0"
2'0"   2'4"   2'6"   2'8"   2'10"   3'0"	2'0"   2'4"   2'6"   2'8"   2'10"   3'0"	2'0"   2'4"   2'6"   2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"
					
DRW002	DRW00702	DRW00802	DRW402	DRW412	DRW41702



6'8"	8'0"	7'0"	6'8"
2'6"   2'8"   3'0"	2'6"   3'0"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"
			
DRW602	DRW60802	DRW61702	DRW632

# 60 & 90 MINUTE FIRE RATED DOORS

## 60 MIN OAK DOORS






## 60 MIN SMOOTH DOORS



## 90 MIN OAK DOORS



## 90 MIN SMOOTH DOORS



ALL FIRE RATED DOORS ARE SHOWN PRE-FINISHED





Our exclusive PF™ Door Frames add needed protection for your entry units. Also made with fire retardant composite, Plastpro Poly-Fiber Frames are tested and certified to withstand fire for 20 minutes. Complete your protection by fitting your fiberglass doors with PF™ Door Frames. More information at [www.plastproinc.com](http://www.plastproinc.com)

**GRAINING**

**FIR GRAIN**



READY TO STAIN 

**MAHOGANY**



READY TO STAIN 

**EMBOSSED**



READY TO STAIN 

**PRIMED**



READY TO PAINT 


**WHITE CAPPED**



NO PAINT REQUIRED 

**DOOR FRAMES**



**4-9/16" DOOR FRAME**




**5-1/4" DOOR FRAME**



**6-9/16" DOOR FRAME**



**7-1/4" DOOR FRAME**



**TESTING RESULTS**

ULC 10 C / NFPA 252 / ASTM E 2074 | FIRE RATED  
CSFM 12-7A-1 | EXTERIOR WILDFIRE EXPOSURE TEST

- All PF™ Door Frames are tested for single units only






## DESIGNATED IMPACT ZONES

Plastpro High Velocity Hurricane Zone (HVHZ) Impact Doors are engineered to withstand penetration of flying objects while maintaining all of the benefits and beauty of our door panel curb appeal. Our innovative R&D Department has pioneered a unique patent-pending process whereby a missile-proof shield is built-in to reinforce the door.



# THE DOOR OF BEAUTY AND INNOVATION



□ **Non-Impact Zones**

Winds below 140 mph

■ **Wind Borne Debris Regions (WBDR)**

Regions where the average speed of wind is 140 mph or greater



■ **High Velocity Hurricane Zone (HVHZ)**

HVHZ in Dade and Broward Counties in Florida



# HVHZ IMPACT DOORS

## MODERN DOORS



## CHERRY DOORS



## RUSTIC DOORS








MAHOGANY  
DOORS



OAK  
DOORS



# HVHZ IMPACT DOORS



## OAK DOORS



6'8"	6'8"	7'0"	8'0"	6'8"	6'8"
2'6"   2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	3'0"
DRG40I	DRG41I	DRG4170I	DRG4180I	DRG6BI	DRG6CI

6'8"	8'0"	7'0"	6'8"	6'8"	8'0"
2'6"   3'0"	2'6"   2'8"   3'0"   3'6"	2'8"   2'10"   3'0"	2'8"   2'10"   3'0"	3'0"	3'0"   3'6"
DRG60I	DRG6080I	DRG6170I	DRG63I	DRG80I	DRG8080I

6'8"	8'0"
2'8"   3'0"	3'0"
DRG90I	DRG9180I

## SMOOTH DOORS



6'8"	7'0"	8'0"	6'8"	8'0"	6'8"
2'0"   2'4"   2'6"   2'8"   2'10"   3'0"	2'0"   2'4"   2'6"   2'8"   2'10"   3'0"	2'0"   2'4"   2'6"   2'8"   2'10"   3'0"	2'6"   2'8"   3'0"	2'6"   2'8"   3'0"	2'6"   2'8"   3'0"
DR500I	DR50070I	DR50080I	DR52BI	DRS2B80I	DR52DI

# HVHZ IMPACT







## SMOOTH DOORS



## WHITE OAK DOORS



## ONELITE DOORS





# PRE-FINISH KIT & STAINING GUIDES

Plastpro pre-finish Stain Kit increase protection and durability to your Plastpro fiberglass entry door.

Faster drying time with environmental friendly water based top coat. Special formula with long lasting vibrant colors. Easy do-it-yourself use as well as for professional painters.

Design exclusively for Plastpro fiberglass entry door.



## PRE-FINISH KIT

Plastpro's Pre-Finish Staining Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.

### BENEFITS & ADVANTAGES

- Increased protection and durability to your plastpro fiberglass entry door
- Faster drying time with environmental friendly water based top coat
- Special formula with long lasting vibrant colors
- Easy to apply
- Designed exclusively for plastpro fiberglass entry doors


### BOX CONTAINS

- |   |                              |
|---|------------------------------|
| ■ Zar® Exterior Water-Based Polyurethane (qt) | ■ Cheese Cloths              |
| ■ Zar® Wood Stain (pt)                        | ■ Two Stir Sticks            |
| ■ Mineral Spirits (4 oz.)                     | ■ One Pair of Latex Gloves   |
| ■ Two 2" Foam Brushes                         | ■ Door Staining Instructions |
| ■ One 2.5" Synthetic Bristle Brush            | ■ Two Skin Samples           |



### STAIN COLOR OPTIONS

You can control the shade (lighter or darker) of each of the 7 stain colors during application by varying the amount of stain applied. \*Actual stain color may vary. For best result, test on skin sample first.





# WOODGRAIN

## MATERIALS NEEDED

### PLASTPRO'S PRE-FINISH KIT OR:

- |                                 |                           |
|---------------------------------|---------------------------|
| A. Pre-Mixed Stain (1/2 pint)   | F. 3" China Bristle Brush |
| B. Mineral Spirits (4 fl. oz.)  | G. Two Stir Sticks        |
| C. Top Coat/Sealer (20 fl. oz.) | H. Two Skin Samples       |
| D. Two Clean Cloth              | I. Finishing Instruction  |
| E. One Pair Protective Gloves   |                           |

## STAINING INSTRUCTIONS FOR GRAINED DOORS & PF™ DOOR FRAMES



### STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want stained such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS / PF™ DOOR FRAMES
4. Wipe the Door / PF™ Door Frame with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.



### STEP 2: STAIN APPLICATION

1. Starting at the center of the Door / PF™ Door Frame, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door / PF™ Door Frame grain.
2. With a clean, lint free 24" x 24" cloth, softly wipe the surface until you reach your desired tone. TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door / PF™ Door Frame.
3. After all stain is brushed evenly, you may add finishing touches by using a small 1" to 2" brush or cotton swabs.
4. (If desired) Allow the Door / PF™ Door Frame to dry for at least 48 hours before applying another coat. Then, repeat above process.



### STEP 3: PROTECTIVE TOP COAT

Application of polyurethane top coat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

1. After stain has completely dried (48 hours), mix the top coat well and apply evenly using a clean dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
2. Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.

### IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.
- Staining instructions are for Oil-Based, Premium Quality Wood Stains or similar product designed for use on a fiberglass surface. Please note the instructions indicated are specific to the Zar brand stain included in our stain kit. Please reference stain manufacturers instructions before applying any stain.

# PAINTING GUIDES

## WOODGRAIN

### MATERIALS NEEDED

- A. Lint-free cloth
- B. Mineral Spirits
- C. Rubber gloves
- D. Masking tape
- E. 4" Bristle Brush
- F. For Water-based Application: Acrylic-based primer\*/ acrylic latex-based exterior grade paint.

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

### PAINTING INSTRUCTIONS FOR OAK GRAIN DOORS



#### STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS.
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain paint. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
5. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the primer to ALL 6 sides. Doors which have been bored and mortised for hardware should be primed inside of the lock bore as well.
6. The primer must be completely dry before applying the topcoat.



#### STEP 2: PAINTING

1. Apply exterior grade paint with 4" brush beginning with the panels.
2. It is common practice to paint both stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

#### CAUTION

1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro, Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

#### IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

## SMOOTH SKIN

### MATERIALS NEEDED

- A. Lint-free Cloth
- B. Mineral Spirits
- C. Rubber Gloves
- D. Masking Tape
- E. 4" Bristle Brush

- F. For Water-based Application: Acrylic-based primer\* / acrylic latex-based exterior grade paint.
- G. Scotch Brite Pad (Fine) or 320-400 grit sandpaper (For Smooth Doors Only)

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

### PAINTING INSTRUCTIONS FOR DOORS & PFT™ DOOR FRAMES



#### STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. **Smooth Doors only.** Lightly scuff sand the surface with a Scotch Brite pad or fine sand paper. **DO NOT SAND GRAINED FIBERGLASS.**
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone to dry from the surface before applying.
5. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
6. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the prime to ALL 6 sides. Doors / PFT™ Door Frames which have been bored and mortised, or machined for hardware should be primed inside of the lock bore, or prepped area as well.
7. The primer must be completely dry before applying the topcoat.



#### STEP 2: PAINTING

1. Apply exterior grade paint with 4" brush beginning with the panels.
2. It is a common practice to paint both door stiles, or both PFT™ Door Frame sides, the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

#### CAUTION

1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

#### IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.





## PLASTPRO DOORS & THEIR LEED CONTRIBUTIONS

		RUSTIC	OAK	SMOOTH	TRIMMABLE	FIRE RATED	HVHZ	PFT™ DOOR FRAMES	TRIM BOARD
<b>10%</b>	Contributes To Total Project Value of Recycled Content	✓	✓	✓	✓	✓	✓	✓	✓
<b>20%</b>	Contributes To Total Project Value of Recycled Content	✓	✓	✓	✓	✓	✓	✓	✓
<b>10%</b>	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	✓
<b>20%</b>	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	✓
<b>2.5%</b>	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	✓

All Plastpro products that utilize structural wood members are sourced from vendors certified to SFI (Sustainable Forest Initiative), Plastpro does not offer products that are certified by FSC (Forest Stewardship Council)

	MATERIAL RESOURCE	REQUIREMENT
<b>10%</b>	RECYCLE CONTENT	The sum of post consumer recycle content plus one-half of pre-consumer content constitutes at least 10% of cost, for the total value of the materials for that project.
<b>20%</b>	RECYCLE CONTENT	The sum of post consumer recycle content plus one-half of pre-consumer content constitutes at least 20% of cost, for the total value of the materials for that project.
<b>10%</b>	REGIONAL MATERIALS	Use of building materials or products extracted, harvested, or recovered as well as manufactured, with-in 500 mi. of the project site (= > 10% total project material cost)
<b>20%</b>	REGIONAL MATERIALS	20% Use of building materials or products extracted, harvested, or recovered as well as manufactured, with-in 500 mi. of the project site (= > 20% total project material cost)
<b>2.5%</b>	RAPIDLY RENEWABLE MATERIAL	Use of building materials or products made from plants, typically harvested, with-in a ten-year cycle or shorter (= > 2.5% total project material cost)



# PRODUCT INDEX

Easily locate all products within the catalog, including doors, sidelites, accessories and decorative glass.

PG 255 - 268

# PFT™ DOOR FRAMES

CATEGORY	NAME	AVAILABLE GRAINS	PAGE
DOOR FRAME	4-9/16" Door Frame	Fir, Mahogany, Embossed, Primed, White Capped	11
	5-1/4" Door Frame	Embossed, Primed, White Capped	11
	6-9/16" Door Frame	Fir, Mahogany, Embossed, Primed, White Capped	11
	7-1/4" Door Frame	Embossed, Primed, White Capped	11
	WM180 Florida Brickmold	Fir, Mahogany, Embossed, Primed, White Capped	11
	WM176 Brickmold	Embossed, Primed	11
	1-1/2" x 1" Mull Cover	Fir, Mahogany, Embossed, Primed	11
	2" x 1" Mull Cover	Fir, Mahogany, Embossed, Primed	11
	1" x 2" Stuccomold	Primed	11
	4.528" x 17' Primed Backband	Primed	11
	3.21" x 6'8" Astragal	Embossed, Primed	11
	3.21" x 8'0" Astragal	Embossed, Primed	11
	.551" x 8'4" SIDELITE STOPPER	Embossed, Primed	12
	Nailing Fin	Embossed, Primed, White Capped	12
	J-Channel	Embossed, Primed, White Capped	12
	Flat casing	Embossed, Primed, White Capped	12
	Flat Casing J-Channel	Embossed, Primed, White Capped	12
	1-1/4" x 3" Jamb Extension	Fir, Mahogany, Embossed, Primed, White Capped	12
	1" x 2-1/2" Storm Door Extension	Fir, Mahogany, Embossed, Primed, White Capped	12
	1" x 3" Storm Door Extension	Fir, Mahogany, Embossed, Primed, White Capped	12
	4-9/16" Transom Sill	Fir, Mahogany, Embossed, Primed, White Capped	12
6-9/16" Transom Sill	Fir, Mahogany, Embossed, Primed, White Capped	12	
Mull Post w/ LVL-3P	Embossed, Primed, White Capped	12	

# FIBERGLASS ENTRY SYSTEMS

SERIES	CODE	HEIGHT	WIDTHS	DESCRIPTION	PAGE
MODERN	DMG46I	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	South Beach, Oak Grain	41
	DMG4680I	8'0"	2'6", 2'8", 2'10", 3'0", 3'6"	South Beach, Oak Grain	41
	DMG51I	6'8"	2'6", 2'8", 2'10", 3'0"	Napoli, Oak Grain	41
	DMG5180I	8'0"	2'6", 2'8", 2'10", 3'0"	Napoli, Oak Grain	41
	DMS1L	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Bienvenue Left Lite, Smooth Skin	40
	DMS1L80	8'0"	3'0", 3'6"	Bienvenue Left Lite, Smooth Skin	40
	DMS1R	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Bienvenue Right Lite, Smooth Skin	40
	DMS1R80	8'0"	3'0", 3'6"	Bienvenue Right Lite, Smooth Skin	40
	DMS1T	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Martinique Twin Lite, Smooth Skin	40
	DMS1T80	8'0"	3'0", 3'6"	Martinique Twin Lite, Smooth Skin	40
	DMS3HI	6'8"	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	41
	DMS3H80I	8'0"	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	41
	DMS5HI	6'8"	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	41
	DMS5H80I	8'0"	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	41
	DMT51	6'8"	2'8", 2'10", 3'0", 3'6"	Milan, Teak Grain	41
	DMT5170	7'0"	3'0", 3'6"	Milan, Teak Grain	41





SERIES	CODE	HEIGHT	WIDTHS	DESCRIPTION	PAGE
<b>CHERRY</b>	DRC21	6'8"	2'8", 2'10", 3'0"	Two Panel	44
	SLC21	6'8"	1'0", 1'2"	Two Panel	44
<b>RUSTIC</b>	DRAPC	6'8"	2'6", 3'0", 3'6"	True Plank, Arch Top	48
	DRAPC70	7'0"	2'6", 3'0", 3'6"	True Plank, Arch Top	48
	DRAPC80	8'0"	2'6", 3'0", 3'6"	True Plank, Arch Top	48
	DRAPR	6'8"	2'6", 3'0", 3'6"	True Plank, Radius Top	48
	DRAPR70	7'0"	2'6", 3'0", 3'6"	True Plank, Radius Top	48
	DRAPR80	8'0"	2'6", 3'0", 3'6"	True Plank, Radius Top	48
	DRATP	6'8"	2'6", 3'0", 3'6"	True Plank, Square Top	48
	DRATP70	7'0"	2'6", 3'0", 3'6"	True Plank, Square Top	48
	DRATP80	8'0"	2'6", 3'0", 3'6"	True Plank, Square Top	48
	DRA1A80	8'0"	3'0", 3'6"	One Panel, Arch Plank	48
	DRA1C80	8'0"	3'0", 3'6"	One Panel, Arch Plank, Arch Top	48
	DRA1P	6'8"	3'0"	One Panel, Square Plank	48
	DRA1P80	8'0"	3'0", 3'6"	One Panel, Square Plank	48
	DRA2A	6'8"	3'0"	Two Panel, Arch Plank	48
	DRA2A80	8'0"	3'0", 3'6"	Two Panel, Arch Plank	48
	DRA2B	6'8"	2'10", 3'0"	Two Panel, Square Panel	48
	DRA2C	6'8"	3'0"	Two Panel, Arch Plank, Arch Top	48
	DRA2C80	8'0"	3'0", 3'6"	Two Panel, Arch Plank, Arch Top	48
	DRA2D	6'8"	2'10", 3'0", 3'6"	Two Panel, Arch Panel	48
	DRA2E	6'8"	2'10", 3'0", 3'6"	Two Panel, Arch Panel, Arch Top	48
	DRA2F80	8'0"	3'0"	Two Panel, Radius Panel, Radius Top	48
	DRA2P80	8'0"	3'0", 3'6"	Two Panel, Square Plank	48
	DRA2R80	8'0"	3'0"	Two Panel, Radius Panel	48
	DRA4C80	8'0"	3'0", 3'6"	Four Panel, Radius Panel, Radius Top	48
	DRA4R80	8'0"	3'0", 3'6"	Four Panel, Radius Panel	48
	SLA2B	6'8"	1'0", 1'2"	Two Panel	48
	ACCHGSTP18	2 1/9"	18"	Wrought Iron Hinge Strap	57
	ACCLP12Q	1 1/2"	1 1/2"	Square Clavos	56
	ACCLP14Q	1 1/4"	1 1/4"	Square Clavos	56
	ACCLP12R	1 1/2"	1 1/2"	Round Clavos	56
	ACCLP14R	1 1/4"	1 1/4"	Round Clavos	56
	ACCSPKY0910KIT	15 1/4"	8 3/4"	Wrought Iron Speakeasy	57
	ACCSPKYGSB0KIT	11 8/9"	9 8/9"	Wrought Iron Speakeasy	57
	<b>MAHOGANY</b>	DRM3D	6'8"	3'0"	Three Panel Deluxe
DRM4E		6'8"	3'0"	Four Panel Eyebrow	60
DRM40		6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	60
DRM41		6'8"	3'6"	True Four Panel	60
DRM60		6'8"	3'0"	Six Panel	60
DRM6080		8'0"	3'6"	Six Panel	60
SLM3D		6'8"	1'0", 1'2"	3/4 Deluxe	60
SLM60		6'8"	1'0", 1'2"	Six Panel	60
SLM6080		8'0"	1'0", 1'2"	Six Panel	60





SERIES	CODE	HEIGHT	WIDTHS	DESCRIPTION	PAGE
FIR	DRF3C	6'8"	3'0"	Direct Glazed Craftsman	74
	DRF3C80	8'0"	3'0"	Direct Glazed Craftsman	74
	DRF3F	6'8"	2'8", 2'10", 3'0"	Three Panel Shaker Craftsman	74
	DRF3F80	8'0"	3'0"	Three Panel Shaker Craftsman	74
	DRF50	6'8"	2'8", 2'10", 3'0"	Five Panel Shaker Craftsman	74
	SLFDC	6'8"	1'0", 1'2"	Direct Glazed Craftsman	74
	SLF3C	6'8"	1'0", 1'2"	Direct Glazed Craftsman	74
	SLF3C80	8'0"	1'0", 1'2"	Direct Glazed Craftsman	74
	ACDSFT2704	3 5/8"	27"	4 Block Dentil Shelf	77
	ACSDF23001	1 1/2"	17 1/8" (4 pcs)	3-Lite SDL Bars for 6'8" Door	76
	ACSDF23005	1 1/2"	23" (4 pcs)	3-Lite SDL Bars for 8'0" Door	76
	ACSDF23002	1 1/2"	25 3/4" (2 pcs), 8 21/32" (8 pcs)	6-Lite SDL Bars for 6'8" Door	76
	ACSDF23006	1 1/2"	26" (2 pcs), 11 3/16" (8 pcs)	6-Lite SDL Bars for 8'0" Door	76
	ACSDF23004	1 1/2"	8 3/4" (2 pcs)	2-Lite SDL Bars for 6'8" and 8'0" Sidelite	76
	OAK	DRG00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush
DRG0070		7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	80
DRG0080		8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	80
DRG20		6'8"	3'0"	3/4 Heritage	80
DRG29		6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	80
DRG2980		8'0"	2'8", 2'10", 3'0"	3/4 Two Panel	80
DRG3E		6'8"	3'0"	3/4 Elite	80
DRG3P		6'8"	3'0"	3/4 Premium	80
DRG3080		8'0"	2'8", 3'0", 3'6"	3/4 Three Panel	80
DRG31		6'8"	3'0"	Three Panel	80
DRG3170		7'0"	3'0"	Three Panel	80
DRG4B		6'8"	2'8", 2'10", 3'0"	Four Panel w/ 10" Bottom Rail	80
DRG40		6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	80
DRG41		6'8"	2'8", 2'10", 3'0", 3'6"	True Four Panel	80
DRG4170		7'0"	2'8", 2'10", 3'0"	True Four Panel	80
DRG4180		8'0"	2'8", 2'10", 3'0"	True Four Panel	80
DRG49		6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	80
DRG6B		6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	80
DRG6C		6'8"	3'0"	Six Panel Craftsman	80
DRG60		6'8"	2'6", 3'0"	Six Panel	80
DRG6080		8'0"	2'6", 2'8", 3'0", 3'6"	Six Panel	80
DRG6170		7'0"	2'8", 2'10", 3'0"	Six Panel Utility	80
DRG63		6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	81
DRG80		6'8"	3'0"	Eight Panel, Center Arch	81
DRG8080		8'0"	3'0", 3'6"	Eight Panel, Center Arch	81
DRG90		6'8"	2'8", 3'0"	Nine Panel	81
DRG9180		8'0"	3'0"	Nine Panel	81
SLG00		6'8"	1'0", 1'2"	Flush	80
SLG0070		7'0"	1'0", 1'2"	Flush	80
SLG0080		8'0"	1'0", 1'2"	Flush	80
SLG3E		6'8"	1'0", 1'2"	3/4 Elite	80



SERIES	CODE	HEIGHT	WIDTHS	DESCRIPTION	PAGE
OAK	SLG3P	6'8"	1'0", 1'2"	3/4 Premium	80
	SLG3080	8'0"	1'0", 1'2"	3/4 Three Panel	80
	SLG4170	7'0"	1'0", 1'2"	Four Panel	80
	SLG4180	8'0"	1'0", 1'2"	Four Panel	80
	SLG49	6'8"	1'0", 1'2"	3/4 Four Panel	80
	SLG60	6'8"	1'0", 1'2"	Six Panel	80
	SLG6170	7'0"	1'0", 1'2"	Six Panel Utility	80
	SLG80	6'8"	1'0", 1'2"	Eight Panel	81
	ACDSGT2704	3"	27"	4 Block Dentil Shelf	122
	ACDSGT2716	3 2/3"	27 1/9"	16 Block Dentil Shelf	122
SMOOTH	DRS00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	126
	DRS0070	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	126
	DRS0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	126
	DRS2B	6'8"	2'8", 2'10", 3'0"	Two Panel	126
	DRS2B80	8'0"	2'8", 2'10", 3'0"	Two Panel	126
	DRS2D	6'8"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	126
	DRS2D80	8'0"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	126
	DRS2G	6'8"	2'8", 2'10", 3'0"	Cottage Two Panel	126
	DRS2G80	8'0"	2'8", 2'10", 3'0"	Cottage Two Panel	126
	DRS20	6'8"	3'0"	3/4 Heritage	126
	DRS29	6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	126
	DRS2980	8'0"	2'8", 2'10", 3'0"	3/4 Two Panel	126
	DRS3C	6'8"	3'0"	Direct Glazed Craftsman	126
	DRS3C80	8'0"	3'0"	Direct Glazed Craftsman	126
	DRS3E	6'8"	3'0"	3/4 Elite	126
	DRS3F	6'8"	2'8", 2'10", 3'0"	Three Panel Shaker Craftsman	126
	DRS3F80	8'0"	3'0"	Three Panel Shaker Craftsman	126
	DRS3P	6'8"	3'0"	3/4 Premium	126
	DRS3080	8'0"	2'8", 3'0", 3'6"	3/4 Three Panel	126
	DRS31	6'8"	3'0"	Three Panel	126
	DRS3170	7'0"	3'0"	Three Panel	126
	DRS4B	6'8"	2'8", 2'10", 3'0"	Four Panel w/ 10" Bottom Rail	126
	DRS40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	126
	DRS41	6'8"	2'8", 2'10", 3'0"	True Four Panel	127
	DRS4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	127
	DRS4180	8'0"	2'8", 2'10", 3'0"	True Four Panel	127
	DRS49	6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	127
	DRS50	6'8"	2'8", 2'10", 3'0"	Five Panel Shaker Craftsman	127
	DRS6B	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	127
	DRS6C	6'8"	3'0"	Six Panel Craftsman	127
	DRS60	6'8"	2'6", 3'0"	Six Panel	127
	DRS6080	8'0"	2'6", 2'8", 3'0"	Six Panel	127
	DRS6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	127
	DRS63	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	127
DRS80	6'8"	3'0"	Eight Panel, Center Arch	127	



SERIES	CODE	HEIGHT	WIDTHS	DESCRIPTION	PAGE
SMOOTH	DRS8080	8'0"	3'0", 3'6"	Eight Panel, Center Arch	127
	DRS90	6'8"	2'8", 3'0"	Nine Panel	127
	SLS00	6'8"	1'0", 1'2"	Flush	126
	SLS0070	7'0"	1'0", 1'2"	Flush	126
	SLS0080	8'0"	1'0", 1'2"	Flush	126
	SLS3C	6'8"	1'0", 1'2"	Direct Glazed Craftsman	126
	SLS3C80	8'0"	1'0", 1'2"	Direct Glazed Craftsman	126
	SLS3E	6'8"	1'0", 1'2"	3/4 Elite	126
	SLS3P	6'8"	1'0", 1'2"	3/4 Premium	126
	SLS3080	8'0"	1'0", 1'2"	3/4 Three Panel	126
	SLS4170	7'0"	1'0", 1'2"	Four Panel	127
	SLS4180	8'0"	1'0", 1'2"	Four Panel	127
	SLS49	6'8"	1'0", 1'2"	3/4 Four Panel	127
	SLS60	6'8"	1'0", 1'2"	Six Panel	127
	SLS6170	7'0"	1'0", 1'2"	Six Panel Utility	127
	SLS80	6'8"	1'0", 1'2"	Eight Panel	127
	ACDSSW2404	4"	24"	4 Block Dentil Shelf	177
	ACDSSW2704	3"	27"	4 Block Dentil Shelf	177
	ACDSSW2716	3 2/3"	27 1/9"	16 Block Dentil Shelf	177
	ACSDW23005	1 1/2"	17 1/8" (4 pcs)	3-Lite SDL Bars for 6'8" Door	176
	ACSDW23001	1 1/2"	23" (4 pcs)	3-Lite SDL Bars for 8'0" Door	176
	ACSDW23006	1 1/2"	25 3/4" (2 pcs), 8 21/32" (8 pcs)	6-Lite SDL Bars for 6'8" Door	176
	ACSDW23002	1 1/2"	26" (2 pcs), 11 3/16" (8 pcs)	6-Lite SDL Bars for 8'0" Door	176
ACSDW23004	1 1/2"	8 3/4" (2 pcs)	2-Lite SDL Bars for 6'8" and 8'0" Sidelite	176	
TRUE WHITE OAK	DRW00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	180
	DRW0070	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	180
	DRW0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	180
	DRW40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	180
	DRW41	6'8"	2'8", 2'10", 3'0"	True Four Panel	180
	DRW4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	180
	DRW60	6'8"	2'6", 3'0"	Six Panel	180
	DRW6080	8'0"	2'6", 3'0"	Six Panel	180
	DRW6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	180
	DRW63	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	180
	SLW00	6'8"	1'0", 1'2"	Flush	180
	SLW0070	7'0"	1'0", 1'2"	Flush	180
	SLW4170	7'0"	1'0", 1'2"	Four Panel	180
	SLW60	6'8"	1'0", 1'2"	Six Panel	180
	SLW6170	7'0"	1'0", 1'2"	Six Panel Utility	180
	ONELITE	DRG10	6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	Flush Glazed Full Lite
DRG10 G10		6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	10 Lite GBG	218
DRG10 G15		6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	15 Lite GBG	218
DRG10 ABRZ		6'8"	2'6", 2'8", 3'0"	Flush Glazed with Aberdeen Glass	218
DRG10B		6'8"	2'6", 2'8", 2'10", 3'0"	Full Lite with Miniblinds	218
DRG12		6'8"	2'8", 3'0"	Flush Glazed Half Lite	218



SERIES	CODE	HEIGHT	WIDTHS	DESCRIPTION	PAGE
ONELITE	DRG12 G09	6'8"	2'8", 3'0"	9 Lite GBG	218
	DRG12B	6'8"	2'8", 3'0"	Half Lite with Miniblinds	218
	DRG1W80	8'0"	2'6", 2'8", 3'0"	Flush Glazed Full Lite	218
	DRG1W80 G12	8'0"	2'6", 2'8", 3'0"	12 Lite GBG	218
	DRG1W80 ABRZ	8'0"	2'6", 2'8", 3'0"	Flush Glazed with Aberdeen Glass	218
	DRG1W80B	8'0"	2'6", 2'8", 3'0"	Full Lite with Miniblinds	218
	SLG10	6'8"	1'0", 1'2"	Flush Glazed Full Lite	218
	SLG10 G05	6'8"	1'0", 1'2"	5 Lite GBG	218
	SLG10 ABRZ	6'8"	1'0", 1'2"	Flush Glazed with Aberdeen Glass	218
	SLG10B	6'8"	1'0", 1'2"	Full Lite with Miniblinds	218
	SLG12	6'8"	1'0", 1'2"	Flush Glazed Half Lite	218
	SLG12 G03	6'8"	1'0", 1'2"	3 Lite GBG	218
	SLG12B	6'8"	1'0", 1'2"	Half Lite with Miniblinds	218
	DRM13	6'8"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	218
	DRM1380	8'0"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	218
	SLM13	6'8"	1'0", 1'2"	Flush Glazed 3/4 Lite	218
	SLM1380	8'0"	1'0", 1'2"	Flush Glazed 3/4 Lite	218
	DRS10	6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	Flush Glazed Full Lite	219
	DRS10 G10	6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	10 Lite GBG	219
	DRS10 G15	6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	15 Lite GBG	219
	DRS10 ABRZ	6'8"	2'6", 2'8", 3'0"	Flush Glazed with Aberdeen Glass	219
	DRS10B	6'8"	2'6", 2'8", 2'10", 3'0"	Full Lite with Miniblinds	219
	DRS12	6'8"	2'8", 3'0"	Flush Glazed Half Lite	219
	DRS12 G09	6'8"	2'8", 3'0"	9 Lite GBG	219
	DRS12B	6'8"	2'8", 3'0"	Half Lite with Miniblinds	219
	DRS13	6'8"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	219
	DRS1380	8'0"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	219
	DRS1Z80	8'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	Flush Glazed Full Lite	219
	DRS1Z80 G12	8'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	12 Lite GBG	219
	DRS1Z80 ABRZ	8'0"	2'6", 2'8", 3'0"	Flush Glazed with Aberdeen Glass	219
	DRS1Z80B	8'0"	2'6", 2'8", 3'0"	Full Lite with Miniblinds	219
	SLS10	6'8"	1'0", 1'2"	Flush Glazed Full Lite	219
	SLS10 G05	6'8"	1'0", 1'2"	5 Lite GBG	219
	SLS10 ABRZ	6'8"	1'0", 1'2"	Flush Glazed with Aberdeen Glass	219
	SLS10B	6'8"	1'0", 1'2"	Full Lite with Miniblinds	219
	SLS12	6'8"	1'0", 1'2"	Flush Glazed Half Lite	219
	SLS12 G03	6'8"	1'0", 1'2"	3 Lite GBG	219
	SLS12B	6'8"	1'0", 1'2"	Half Lite with Miniblinds	219
	SLS13	6'8"	1'0", 1'2"	Flush Glazed 3/4 Lite	219
	SLS1Z80	8'0"	1'0", 1'2"	Flush Glazed Full Lite	219
	SLS1Z80 G06	8'0"	1'0", 1'2"	6 Lite GBG	219
	SLS1Z80 ABRZ	8'0"	1'0", 1'2"	Flush Glazed with Aberdeen Glass	219
SLS1Z80B	8'0"	1'0", 1'2"	Full Lite with Miniblinds	219	
ACSDM/S1368L08C	1 1/4"	48 5/32" (2 pcs), 12 59/64" (12 pcs)	8-Lite SDL Bars for 6'8" Door	220	
ACSDM/S1380L10C	1 1/4"	64 5/32" (2 pcs), 12 59/64" (16 pcs)	10-Lite SDL Bars for 8'0" Door	220	

SERIES	CODE	HEIGHT	WIDTHS	DESCRIPTION	PAGE
ONELITE	ACSDM/S1368L09C	1 1/4"	48 5/32" (4 pcs), 9 5/7" (4 pcs), 4 13/14" (8 pcs)	9-Lite SDL Bars for 6'8" Door	220
	ACSDM/S1380L09C	1 1/4"	64 5/32" (4 pcs), 9 5/7" (4 pcs), 4 13/14" (8 pcs)	9-Lite SDL Bars for 8'0" Door	220
	ACSDM/S1368L02S	1 1/4"	7 1/7" (2 pcs)	2-Lite SDL Bars for 6'8" Sidelite	220
	ACSDM/S1380L02S	1 1/4"	8 1/7" (2 pcs)	2-Lite SDL Bars for 8'0" Sidelite	220
LIGHT COMMERCIAL	DMG46	6'8"	2'8", 3'0"	South Beach, Oak Grain	224
	DMS1L	6'8"	2'8", 3'0"	Bienvenue Left Lite, Smooth Skin	224
	DMS1R	6'8"	2'8", 3'0"	Bienvenue Right Lite, Smooth Skin	224
	DMS1T	6'8"	2'8", 3'0"	Martinique Twin Lite, Smooth Skin	224
	DRC21	6'8"	2'8", 2'10", 3'0"	Two Panel	224
	DRG00	6'8"	2'6", 2'8", 2'10", 3'0"	Flush	224
	DRG0070	7'0"	2'6", 2'8", 2'10", 3'0"	Flush	224
	DRG4B	6'8"	2'8", 2'10", 3'0"	Four Panel w/ 10" Bottom Rail	224
	DRG4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	224
	DRG6B	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	224
	DRG6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	224
	DRS00	6'8"	2'6", 2'8", 2'10", 3'0"	Flush	224
	DRS0070	7'0"	2'6", 2'8", 2'10", 3'0"	Flush	224
	DRS4B	6'8"	2'8", 2'10", 3'0"	Four Panel w/ 10" Bottom Rail	224
	DRS4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	224
	DRS6B	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	224
	DRS6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	224
	DRW0070	7'0"	2'6", 2'8", 2'10", 3'0"	Flush	224
	DRW4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	224
	DRW6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	224
	DRS11	6'8"	3'0"	Flush Glazed Full Lite	225
DRS1170	7'0"	3'0"	Flush Glazed Full Lite	225	
DRS1180	8'0"	3'0"	Flush Glazed Full Lite	225	
TRIMMABLE	DRC21T	79 1/4"	36"	Two Panel	228
	DRM40T	79 1/4"	36"	Four Panel Blank Top	228
	DRG20T	79 1/4"	36"	3/4 Two Panel	228
	DRG40T	79 1/4"	36"	Four Panel Blank Top	228
	DRS2BT	79 1/4"	36"	Two Panel	228
	DRS2DT	79 1/4"	36"	Two Panel Arch Top	228
	DRS2GT	79 1/4"	36"	Two Panel Arch Top	228
	DRS20T	79 1/4"	36"	3/4 Two Panel	228
	DRS3ET	79 1/4"	36"	Three Panel	228
	DRS40T	79 1/4"	36"	Four Panel Blank Top	228
	DRS90T	79 1/4"	36"	Nine Panel	228
	DMG46T	80"	36"	South Beach, Oak Grain	228
	DMG51T	80"	36"	Milan, Teak Grain	228
	DRG00T	80"	36"	Flush	228
	DRG41T	80"	36"	Four Panel	228
	DRG61T	80"	36"	Six Panel	228
	DRS00T	80"	36"	Flush	228
	DRS41T	80"	36"	Four Panel	228





SERIES	CODE	HEIGHT	WIDTHS	DESCRIPTION	PAGE
<b>TRIMMABLE</b>	DRS61T	80"	36"	Six Panel	228
<b>FIRE RATED</b>	DMG46I2	6'8"	2'6", 2'8", 2'10", 3'0"	South Beach, Oak Grain	233
	DMG51I2	6'8"	2'6", 2'8", 2'10", 3'0"	Milan, Teak Grain	233
	DMS3HI2	6'8"	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	233
	DMS5HI2	6'8"	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	233
	DRC21I2	6'8"	2'8", 2'10", 3'0"	Two Panel	233
	DRM3D2	6'8"	3'0"	Three Panel Deluxe	233
	DRM4E2	6'8"	3'0"	Four Panel Eyebrow	233
	DRM4O2	6'8"	2'8", 2'10", 3'0"	Four Panel Blank Top	233
	DRM6O2	6'8"	3'0"	Six Panel	233
	DRA1P2	6'8"	3'0"	One Panel, Square Plank	233
	DRA2A2	6'8"	3'0"	Two Panel, Arch Plank	233
	DRA2B2	6'8"	2'10", 3'0"	Two Panel, Square Panel	233
	DRG0O2	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	233
	DRG0O7O2	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	233
	DRG0O8O2	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	233
	DRG2O2	6'8"	3'0"	3/4 Heritage	233
	DRG292	6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	233
	DRG3E2	6'8"	3'0"	3/4 Elite	233
	DRG3P2	6'8"	3'0"	3/4 Premium	233
	DRG3O8O2	8'0"	2'8", 3'0", 3'6"	3/4 Three Panel	233
	DRG4O2	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	233
	DRG4I2	6'8"	2'8", 2'10", 3'0"	True Four Panel	234
	DRG492	6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	234
	DRG6C2	6'8"	3'0"	Six Panel Craftsman	234
	DRG6O2	6'8"	2'6", 2'8", 3'0"	Six Panel	234
	DRG6O8O2	8'0"	2'6", 2'8", 3'0"	Six Panel	234
	DRS0O2	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	234
	DRS0O7O2	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	234
	DRS0O8O2	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	234
	DRS2B2	6'8"	2'8", 2'10", 3'0"	Two Panel	234
	DRS2B8O2	8'0"	2'8", 2'10", 3'0"	Two Panel	234
	DRS2D2	6'8"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	234
	DRS2D8O2	8'0"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	234
	DRS2G2	6'8"	2'8", 2'10", 3'0"	Cottage Two Panel	234
	DRS2G8O2	8'0"	2'8", 2'10", 3'0"	Cottage Two Panel	234
	DRS2O2	6'8"	3'0"	3/4 Heritage	234
	DRS292	6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	234
	DRS3E2	6'8"	3'0"	3/4 Elite	234
	DRS3F2	6'8"	2'8", 2'10", 3'0"	Three Panel Shaker Craftsman	234
	DRS3P2	6'8"	3'0"	3/4 Premium	234
	DRS3O8O2	8'0"	2'8", 3'0"	3/4 Three Panel	234
DRS4B2	6'8"	2'8", 2'10", 3'0"	Four Panel w/ 10" Bottom Rail	234	
DRS4O2	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	234	
DRS4I2	6'8"	2'8", 2'10", 3'0"	True Four Panel	234	

SERIES	CODE	HEIGHT	WIDTHS	DESCRIPTION	PAGE
FIRE RATED	DRS41702	7'0"	2'8", 2'10", 3'0"	True Four Panel	234
	DRS492	6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	235
	DRS6B2	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	235
	DRS6C2	6'8"	3'0"	Six Panel Craftsman	235
	DRS602	6'8"	2'6", 2'8", 3'0"	Six Panel	235
	DRS60802	8'0"	2'6", 2'8", 3'0"	Six Panel	235
	DRS61702	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	235
	DRS632	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	235
	DRS902	6'8"	2'8", 2'10", 3'0"	Nine Panel	235
	DRW002	6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	Flush	235
	DRW00702	7'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	Flush	235
	DRW00802	8'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	Flush	235
	DRW402	6'8"	2'8", 2'10", 3'0"	Four Panel Blank Top	235
	DRW412	6'8"	2'8", 2'10", 3'0"	True Four Panel	235
	DRW41702	7'0"	2'8", 2'10", 3'0"	True Four Panel	235
	DRW602	6'8"	2'6", 2'8", 3'0"	Six Panel	235
	DRW60802	8'0"	2'6", 3'0"	Six Panel	235
	DRW61702	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	235
	DRW632	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	235
	DRG006	6'8"	2'6", 2'8", 2'10", 3'0"	Flush	236
	DRG00706	7'0"	2'6", 2'8", 2'10", 3'0"	Flush	236
	DRG00806	8'0"	2'6", 2'8", 2'10", 3'0", 3'6"	Flush	236
	DRG606	6'8"	3'0"	Six Panel	236
	DRS006	6'8"	2'6", 2'8", 2'10", 3'0"	Flush	236
	DRS00706	7'0"	2'6", 2'8", 2'10", 3'0"	Flush	236
	DRS00806	8'0"	2'6", 2'8", 2'10", 3'0", 3'6"	Flush	236
	DRS606	6'8"	3'0"	Six Panel	236
	DRG009	6'8"	2'6", 2'8", 2'10", 3'0"	Flush	236
	DRG00709	7'0"	2'6", 2'8", 2'10", 3'0"	Flush	236
	DRG00809	8'0"	2'6", 2'8", 2'10", 3'0", 3'6"	Flush	236
	DRS009	6'8"	2'6", 2'8", 2'10", 3'0"	Flush	236
	DRS00709	7'0"	2'6", 2'8", 2'10", 3'0"	Flush	236
	DRS00809	8'0"	2'6", 2'8", 2'10", 3'0", 3'6"	Flush	236
Fire Rated PF™ Door Frames					238
HVHZ IMPACT	DMG46I	6'8"	2'6", 2'8", 2'10", 3'0"	South Beach, Oak Grain	242
	DMG4680I	8'0"	2'6", 2'8", 2'10", 3'0"	South Beach, Oak Grain	242
	DMG51I	6'8"	3'0"	Napoli, Oak Grain	242
	DMG5180I	8'0"	3'0"	Napoli, Oak Grain	242
	DMS3HI	6'8"	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	242
	DMS3H80I	8'0"	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	242
	DMS5HI	6'8"	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	242
	DMS5H80I	8'0"	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	242
	DRC21I	6'8"	2'8", 2'10", 3'0"	Two Panel	242
	DRM3DI	6'8"	3'0"	Three Panel Deluxe	242
	DRM4EI	6'8"	3'0"	Four Panel Eyebrow	242





SERIES	CODE	HEIGHT	WIDTHS	DESCRIPTION	PAGE
<b>HVHZ IMPACT</b>	DRM40I	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	242
	DRM60I	6'8"	3'0"	Six Panel	242
	DRA1A80I	8'0"	3'0"	One Panel, Arch Plank	242
	DRA1PI	6'8"	3'0"	One Panel, Square Plank	242
	DRA2AI	6'8"	3'0"	Two Panel, Arch Plank	242
	DRA2BI	6'8"	2'10", 3'0"	Two Panel, Square Panel	242
	DRA2DI	6'8"	2'10", 3'0"	Two Panel, Arch Panel	242
	DRA2R80I	8'0"	3'0"	Two Panel, Radius Panel	242
	DRA4R80I	8'0"	3'0"	Four Panel, Radius Panel	242
	DRG00I	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	242
	DRG0070I	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	242
	DRG0080I	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	242
	DRG20I	6'8"	3'0"	3/4 Heritage	243
	DRG29I	6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	243
	DRG2980I	8'0"	2'8", 2'10", 3'0"	3/4 Two Panel	243
	DRG3EI	6'8"	3'0"	3/4 Elite	243
	DRG3PI	6'8"	3'0"	3/4 Premium	243
	DRG3080I	8'0"	2'8", 3'0", 3'6"	3/4 Three Panel	243
	DRG31I	6'8"	3'0"	Three Panel	243
	DRG3170I	7'0"	3'0"	Three Panel	243
	DRG4BI	6'8"	2'8", 2'10", 3'0"	Four Panel w/ 10" Bottom Rail	243
	DRG40I	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	243
	DRG41I	6'8"	2'8", 2'10", 3'0"	True Four Panel	243
	DRG4170I	7'0"	2'8", 2'10", 3'0"	True Four Panel	243
	DRG4180I	8'0"	2'8", 2'10", 3'0"	True Four Panel	243
	DRG49I	6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	243
	DRG6BI	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	243
	DRG6CI	6'8"	3'0"	Six Panel Craftsman	243
	DRG60I	6'8"	2'6", 3'0"	Six Panel	243
	DRG6080I	8'0"	2'6", 2'8", 3'0", 3'6"	Six Panel	243
	DRG6170I	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	243
	DRG63I	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	243
	DRG80I	6'8"	3'0"	Eight Panel, Center Arch	243
	DRG8080I	8'0"	3'0", 3'6"	Eight Panel, Center Arch	243
	DRG90I	6'8"	2'8", 3'0"	Nine Panel	243
	DRG9180I	8'0"	3'0"	Nine Panel	243
	DRS00I	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	244
	DRS0070I	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	244
	DRS0080I	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	244
	DRS2BI	6'8"	2'8", 2'10", 3'0"	Two Panel	244
	DRS2B80I	8'0"	2'8", 2'10", 3'0"	Two Panel	244
	DRS2DI	6'8"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	244
	DRS2D80I	8'0"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	244
	DRS2GI	6'8"	2'8", 2'10", 3'0"	Cottage Two Panel	244
	DRS2G80I	8'0"	2'8", 2'10", 3'0"	Cottage Two Panel	244





SERIES	CODE	HEIGHT	WIDTHS	DESCRIPTION	PAGE
HVHZ IMPACT	DRS20I	6'8"	3'0"	3/4 Heritage	244
	DRS29I	6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	244
	DRS2980I	8'0"	2'8", 2'10", 3'0"	3/4 Two Panel	244
	DRS3EI	6'8"	3'0"	3/4 Elite	244
	DRS3PI	6'8"	3'0"	3/4 Premium	244
	DRS3080I	8'0"	2'8", 3'0"	3/4 Three Panel	244
	DRS31I	6'8"	3'0"	Three Panel	244
	DRS4BI	6'8"	2'8", 2'10", 3'0"	Four Panel w/ 10" Bottom Rail	244
	DRS40I	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	244
	DRS41I	6'8"	2'8", 2'10", 3'0"	True Four Panel	244
	DRS4170I	7'0"	2'8", 2'10", 3'0"	True Four Panel	244
	DRS4180I	8'0"	2'8", 2'10", 3'0"	True Four Panel	244
	DRS49I	6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	244
	DRS6BI	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	244
	DRS6CI	6'8"	3'0"	Six Panel Craftsman	244
	DRS60I	6'8"	2'6", 3'0"	Six Panel	244
	DRS6080I	8'0"	2'6", 3'0"	Six Panel	244
	DRS6170I	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	244
	DRS63I	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	244
	DRS80I	6'8"	3'0"	Eight Panel, Center Arch	245
	DRS8080I	8'0"	3'0"	Eight Panel, Center Arch	245
	DRS90I	6'8"	2'8", 2'10", 3'0"	Nine Panel	245
	DRW00I	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	245
	DRW0070I	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	245
	DRW0080I	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	245
	DRW40I	6'8"	2'8", 2'10", 3'0"	Four Panel Blank Top	245
	DRW41I	6'8"	2'8", 2'10", 3'0"	True Four Panel	245
	DRW4170I	7'0"	2'8", 2'10", 3'0"	True Four Panel	245
	DRW60I	6'8"	2'6", 3'0"	Six Panel	245
	DRW6080I	8'0"	2'6", 3'0"	Six Panel	245
	DRW6170I	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	245
	DRW63I	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	245
	DRG10I	6'8"	2'0", 2'6", 2'8", 3'0"	Flush Glazed Full Lite	245
	DRS10I	6'8"	2'0", 2'6", 2'8", 3'0"	Flush Glazed Full Lite	245

## DOORS & DECORATIVE GLASS

GLASS	SERIES	PAGE
CAMELIA	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Rustic Doors & Sidelites	50 - 51
	Mahogany Doors & Sidelites	62 - 63
	Oak Doors & Sidelites	82 - 83
	Smooth Doors & Sidelites	128 - 129
	True White Oak Doors & Sidelites	182 - 183



GLASS	SERIES	PAGE
<b>PRISCILLA</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Rustic Doors & Sidelites	52 - 53
	Mahogany Doors & Sidelites	62 - 63
	Oak Doors & Sidelites	84 - 85
	Smooth Doors & Sidelites	130 - 131
	True White Oak Doors & Sidelites	184 - 185
<b>CHIANTI</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Rustic Doors & Sidelites	54 - 55
	Mahogany Doors & Sidelites	62 - 63
	Oak Doors & Sidelites	86 - 87
	Smooth Doors & Sidelites	132 - 133
	True White Oak Doors & Sidelites	186 - 187
<b>ABERDEEN</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	62 - 63
	Oak Doors & Sidelites	88 - 89
	Smooth Doors & Sidelites	134 - 135
	True White Oak Doors & Sidelites	188 - 189
	Onelite Doors & Sidelites	218 - 219
<b>ARTESANO</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	64 - 65
	Fir Doors & Sidelites	75
	Oak Doors & Sidelites	90 - 91
	Smooth Doors & Sidelites	136 - 139
	True White Oak Doors & Sidelites	190 - 191
<b>ARTESANO BREEZE</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	64 - 65
	Fir Doors & Sidelites	75
	Oak Doors & Sidelites	92 - 93
	Smooth Doors & Sidelites	140 - 143
	True White Oak Doors & Sidelites	192 - 193
<b>BRENTWOOD</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	64 - 65
	Oak Doors & Sidelites	94 - 97
	Smooth Doors & Sidelites	144 - 147
	True White Oak Doors & Sidelites	194 - 195
<b>CASTILE</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	64 - 65
	Oak Doors & Sidelites	98 - 101

GLASS	SERIES	PAGE
<b>CASTILE</b>	Smooth Doors & Sidelites	148 - 151
	True White Oak Doors & Sidelites	196 - 197
<b>CHARLOTTE</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	66 - 67
	Oak Doors & Sidelites	102 - 105
	Smooth Doors & Sidelites	152 - 155
	True White Oak Doors & Sidelites	198 - 199
<b>ELIZABETH</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	66 - 67
	Oak Doors & Sidelites	106 - 107
	Smooth Doors & Sidelites	156 - 157
	True White Oak Doors & Sidelites	200 - 201
<b>KENSINGTON</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	66 - 67
	Fir Doors & Sidelites	75
	Oak Doors & Sidelites	108 - 109
	Smooth Doors & Sidelites	158 - 159
	True White Oak Doors & Sidelites	202 - 203
<b>OXFORD</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	66 - 67
	Oak Doors & Sidelites	110 - 111
	Smooth Doors & Sidelites	160 - 161
	True White Oak Doors & Sidelites	204 - 205
<b>RIVERTON</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	68 - 69
	Oak Doors & Sidelites	112 - 113
	Smooth Doors & Sidelites	162 - 163
	True White Oak Doors & Sidelites	206 - 207
<b>SOLSTICE</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	68 - 69
	Fir Doors & Sidelites	75
	Oak Doors & Sidelites	114 - 115
	Smooth Doors & Sidelites	164 - 165
	True White Oak Doors & Sidelites	208 - 209
<b>SPRING</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	68 - 69
	Fir Doors & Sidelites	75
	Oak Doors & Sidelites	116 - 117





GLASS	SERIES	PAGE
<b>SPRING</b>	Smooth Doors & Sidelites	166 - 169
	True White Oak Doors & Sidelites	210 - 211
<b>TABITHA</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	68 - 69
	Oak Doors & Sidelites	118 - 119
	Smooth Doors & Sidelites	170 - 171
	True White Oak Doors & Sidelites	212 - 213
<b>MINIBLINDS</b>	Modern Doors & Sidelites	40
	Cherry Doors & Sidelites	45
	Mahogany Doors & Sidelites	70 - 71
	Oak Doors & Sidelites	120 - 121
	Smooth Doors & Sidelites	172 - 173
	True White Oak Doors & Sidelites	214 - 215
	Onelite Doors & Sidelites	214 - 215





**THE DOOR OF BEAUTY AND INNOVATION**



THE DOOR OF BEAUTY AND INNOVATION



[PlastproInc.com](http://PlastproInc.com)

5200 W. Century Blvd, 9th Floor ■ Los Angeles, CA 90045

Phone: (800) 779-0561 ■ Fax: (310) 693-8620



© 2017 Plastpro Inc. All Rights Reserved

Product # MKLFLB2017 Printed January 2017